



**Western and
Central Pacific
Fisheries
Commission**

**SCIENTIFIC COMMITTEE
TWENTIETH REGULAR SESSION**

Manila, Philippines
14 – 21 August 2024

**Modifications to the Scientific Data to be Provided by the Commission
to support the submission of FAD Minimum Data Fields to be Recorded by WCPFC
Vessel Operators**

**WCPFC-SC20-2024/ST-IP-09
19 July 2024**

PNA and Tokelau

INTRODUCTION

This document presents the modifications suggested to the ***Scientific Data to be Provided by the Commission¹*** to support the submission of FAD Minimum Data Fields to be Recorded by WCPFC Vessel Operators, as outlined in the SC20 Statistics and Data Theme Working Paper, “***FAD Minimum Data Fields to be Recorded by WCPFC Vessel Operators***” (WCPFC-SC20-2024/ST-WP-06).

The proposed modifications are shaded in yellow.

¹ <https://www.wcpfc.int/doc/data-01/scientific-data-be-provided-commission-revised-wcpfc4-6-7-and-9>

SCIENTIFIC DATA TO BE PROVIDED TO THE COMMISSION²

1. Estimates of annual catches

The following estimates of catches during each calendar year shall be provided to the Commission for each gear type:

- catches of bigeye tuna (*Thunnus obesus*), skipjack tuna (*Katsuwonus pelamis*), yellowfin tuna (*Thunnus albacares*), blue marlin (*Makaira mazara*), black marlin (*Makaira indica*), shortbill spearfish (*Tetrapturus angustirostris*) and sailfish (*Istiophorus platypterus*) in: 1) the WCPFC Statistical Area (see paragraph #8), and 2) the portion of the WCPFC Statistical Area east of the 150° meridian of west longitude;
- catches of albacore (*Thunnus alalunga*), striped marlin (*Tetrapturus audax*), swordfish (*Xiphias gladius*), Pacific bluefin tuna (*Thunnus orientalis*), thresher sharks (*Alopias spp.*), blue shark (*Prionace glauca*) and mako sharks (*Isurus spp.*) in: 1) the Pacific Ocean south of the Equator, 2) the Pacific Ocean north of the Equator, 3) the WCPFC Statistical Area north of the Equator, 4) the WCPFC Statistical Area south of the Equator, and 5) the portion of the WCPFC Statistical Area east of the 150° meridian of west longitude; and
- blue shark, silky shark, oceanic whitetip shark, thresher sharks, mako sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), and whale shark in the WCPFC Statistical Area (see paragraph number 8).

For trollers targeting albacore in the Pacific Ocean south of the Equator, the following catch estimates during the fishing season (July to June) shall also be provided:

- catches of albacore in the Pacific Ocean south of the Equator

Estimates of discards/releases shall also be provided for each species listed above.³

Catch estimates shall also be provided for other species as determined by the Commission.

Longline catch estimates shall be for whole weight, rather than processed weight.

All catch estimates shall be reported in metric tonnes.

The statistical methods used to estimate the annual and seasonal catches shall be reported to the

² As refined and first adopted at WCPFC13 (2016) and incorporating the latest revision made at WCPFC20 (2023).

³ It is also recognized that certain members and cooperating non-members of the Commission may have practical difficulties in compiling discards/releases data for fleets comprised of small vessels, such as certain sectors of the fisheries of Indonesia, the Philippines and small island developing states.

Commission, with reference to the coverage rates for each type of data (e.g. operational catch and effort data, records of unloadings, species composition sampling data) that is used to estimate the catches and to the conversion factors that are used to convert the processed weight of longline-caught fish to whole weight.

The statistical and sampling methods that are used to derive the size composition data shall be reported to the Commission, including reference to whether sampling was at the level of fishing operation or during unloading, details of the protocol used, and the methods and reasons for any adjustments to the size data. Where feasible, this shall also be applied to all historical data.

2. *Number of vessels active*

The number of vessels active⁴ in the WCPFC Statistical Area during each calendar year shall be provided to the Commission for each gear type.

For longliners, pole-and-line vessels, and purse seiners, the number of vessels active shall be provided by gross registered tonnage (GRT) class. The GRT classes are defined as follows:

- Longline: 0–50, 51–200, 201–500, 500+
- Pole-and-line: 0–50, 51–150, 150+
- Purse seine: 0–500, 501–1000, 1001–1500, 1500+

For trollers targeting albacore, the number of vessels active during each calendar year shall be provided for 1) the WCPFC Statistical Area south of the Equator and 2) the WCPFC Statistical Area north of the Equator. For trollers targeting albacore in the Pacific Ocean south of the Equator, the number of vessels active during the fishing season (July to June) shall be provided for 1) the WCPFC Statistical Area south of the Equator and 2) the Pacific Ocean south of the Equator.

3. *Operational level catch and effort data*

Operational level catch and effort data (e.g. individual sets by longliners and purse seiners, and individual days fished by pole-and-line vessels and trollers) shall be provided to the Commission, in accordance with the standards adopted by Commission at its Second Regular Session. These are listed in Annex 1.

It is recognized that certain members and cooperating non-members of the Commission may be subject to domestic legal constraints, such that they may not be able to provide operational data to the Commission until such constraints are overcome. Until such constraints are overcome, aggregated catch and effort data and size composition data, as described in (4) and (5) below, shall be provided.

It is also recognized that certain members and cooperating non-members of the Commission may have practical difficulties in compiling operational data for fleets comprised of small vessels, such as certain sectors of the fisheries of Indonesia, the Philippines and small island developing states.

⁴ A vessel is considered to be “active” if it fished (targeting highly migratory fish stocks) at least one day during the year.

Information on operational changes in the fishery that are not an attribute in the data provided is to be listed and reported with the data provision.

The Commission agreed to the submission of data on Fish Aggregating Devices (FADs). Flag state Members shall provide data on FADs covering the following two major areas, as collected by their vessel operators and outlined in Annex 2 sections 2.2.5 and 2.2.6:

- a. FAD design and construction of FAD to be deployed or encountered, and***
- b. FAD activity.***

These requirements are included in the category of purse seine effort data but are required to be provided by the operators of all vessels engaged in FAD activity, including vessels other than purse seine vessels used for deploying, servicing, and retrieving FADs.

Annex 2 provides tables of the guidelines of operational level catch and effort data fields for longline, purse seine and pole-and-line gears in order to clarify and assist members in understanding the requirements of each data field and thereby facilitate the submission of data to the WCPFC.

4. Catch and effort data aggregated by time period and geographic area

If the coverage rate of the operational catch and effort data that are provided to the Commission is less than 100%, then catch and effort data aggregated by time period and geographic area that have been raised to represent the total catch and effort shall be provided. Longline catch and effort data shall be aggregated by periods of month and areas of 5° longitude and 5° latitude. Purse-seine and ringnet catch and effort data shall be aggregated by periods of month, areas of 1° longitude and 1° latitude, and type of school association. Catch and effort data for other surface fisheries targeting tuna shall be aggregated by periods of month and areas of 1° longitude and 1° latitude.

If the coverage rate of the operational catch and effort data that are provided to the Commission is less than 100%, then unraised longline catch and effort data stratified by the number of hooks between floats and the finest possible resolution of time period and geographic area shall also be provided.

If the coverage rate of the operational catch and effort data that are provided to the Commission is less than 100%, then catch and effort data that have been raised to represent the total catch and effort shall also be aggregated by periods of year and areas of national jurisdiction and high seas within the WCPFC Statistical Area.

Catch and effort data aggregated by periods of month and areas of 5° longitude and 5° latitude that have been raised to represent the total catch and effort, and unraised longline catch and effort data stratified by the number of hooks between floats and the finest possible resolution of time period and geographic area, covering distant-water longliners may also be provided for the Pacific Ocean east of the eastern boundary of the WCPFC Statistical Area.

The statistical methods that are used to derive the aggregated catch and effort data shall be reported to the Commission, with reference to the coverage rates of the operational catch and effort data, and the types of data and method used to raise the catch and effort data.

CCMs are to provide, to the extent possible, the number of individual vessels per stratum and area covered by their operational data with the aggregated catch and effort data they submit to the Commission.

Information on operational changes in the fishery that are not an attribute in the data provided is to be listed and reported with the data provision.

5. *Size composition data*

Length and/or weight composition data that are representative of catches by the fisheries shall be provided to the Commission at the finest possible resolution of time period and geographic area and at least as fine as periods of quarter and areas of 20° longitude and 10° latitude.

The length size class intervals are defined as follows:

- Skipjack tuna – 1cm
- Albacore tuna – 1cm
- Yellowfin tuna – ideally 1cm, but not more than 2 cm
- Bigeye tuna – ideally 1cm, but not more than 2 cm
- Billfish – ideally 1cm, but not more than 5 cm

The weight size class intervals are defined as follows:

- Tuna and Billfish species - 1kg

CCMs shall indicate whether lengths and/or weights are rounded up or rounded down to the unit specified.

The statistical and sampling methods that are used to derive the size composition data shall be reported to the Commission, including reference to whether sampling was at the level of fishing operation or during unloading, details of the protocol used, and the methods and reasons for any adjustments to the size data. Where feasible, this shall also be applied to all historical data.

Information on operational changes in the fishery that are not an attribute in the data provided is to be listed and reported with the data provision.

6. *The roles of flag states and coastal states*

Flag CCMs shall be responsible for providing to the Commission scientific data covering vessels they have flagged, except for vessels operating under joint-venture or charter arrangements with another state such that the vessels operate, for all intents and purposes, as local vessels of the other state, in which case the other state shall be responsible for the provision of data to the Commission.

It is recognized that the ability of flag States or entities to provide scientific data to the Commission may be constrained by the terms of bilateral or regional arrangements, such as the Treaty on Fisheries Between the Governments of Certain Pacific Island States and the Government of the United States of America.

Scientific data compiled by coastal states shall also be provided to the Commission.

7. *Time periods covered and schedule for the provision of data*

Estimates of annual or seasonal catches should be provided to the Commission from 1950 onwards or, if the fleet began operating after 1950, from the year in which the fleet began operating.

Operational catch and effort data, and size composition data, should be provided for all years, starting with the first year for which the data are available.

For all gear types, except trollers targeting albacore in the Pacific Ocean south of the Equator, estimates of annual catches, the number of vessels active, catch and effort data, and size composition data, covering a calendar year shall be provided by April 30 of the year following the calendar year (e.g. data covering calendar year “x” shall be provided by 30 April of year “x+1”).

For trollers targeting albacore in the Pacific Ocean south of the Equator, estimates of annual catches, the number of vessels active, catch and effort data, and size composition data, covering a fishing season (July to June) shall be provided by April 30 of the year following the year in which the season ends (e.g. data covering the season from July of year “x” to June of year “x+1” shall be provided by 30 April of year “x+2”).

Estimates of annual catches, the number of vessels active, catch and effort data, and size composition data should be revised, and the revisions provided to the Commission, as additional data become available.

8. *Definition of the WCPFC Statistical Area*

The WCPFC Statistical Area is defined as follows: from the south coast of Australia due south along the 141° meridian of east longitude to its intersection with the 55° parallel of south latitude; thence, due east along the 55° parallel of south latitude to its intersection with the 150° meridian of east longitude; thence, due south along the 150° meridian of east longitude to its intersection with the 60° parallel of south latitude; thence, due east along the 60° parallel of south latitude to its intersection with the 130° meridian of west longitude; thence, due north along the 130° meridian of west longitude to its intersection with the 4° parallel of south latitude; thence, due west along the 4° parallel of south latitude to its intersection with the 150° meridian of west longitude; thence, due north along the 150° meridian of west longitude; and from the north coast of Australia due north along the 129° meridian of east longitude to its intersection with the 8° parallel of south latitude, thence due west along the 8° parallel of south latitude to the Indonesian archipelago; and from the Indonesian peninsula due east along the 2°30' parallel of north latitude to the Malaysian peninsula.

9. *Periodic reviews of the requirements for scientific data*

The Commission, through its Scientific Committee, shall periodically review the requirements for scientific data and shall provide the Commission with revised versions of this recommendation, as appropriate.

Annex 1. Standards for the Provision of Operational Level Catch and Effort Data

1. Data items that shall be reported to the Commission

1.1 Vessel identifiers, for all gear types

Name of the vessel, country of registration, registration number, and international radio call sign:
The registration number is the number assigned to the vessel by the state that has flagged the vessel. A code may be used as a vessel identifier instead of the name of the vessel, registration number and call sign for vessels that have fished and that intend to fish only in the waters of national jurisdiction of the State that has flagged the vessel.

1.2 Trip information, for all gear types

The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention).

Port or place of departure, date of departure, port or place of unloading, date of arrival in port: If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then "Transshipment at sea" shall be reported in lieu of the port of departure, and if the end of a trip coincides with transshipping part or all of the catch at sea, then "Transshipment at sea" shall be reported in lieu of the port of unloading.

1.3 Information on operations by longliners

Activity: This item shall be reported for each set and should be reported for days on which no sets were made, from the start of the trip to the end of the trip. Activities should include "a set"; "no fishing — in transit"; "no fishing — gear breakdown"; "no fishing — bad weather"; and "no fishing — in port".

Date of start of set and time of start of set: The date and start of set time should be GMT/UTC. If no sets are made, the date and main activity should be reported. CCMs shall provide information on how their vessels report time zone/format.

Position of start of set: The position of start of set should be reported in units of at least minutes of latitude and longitude. If no sets are made for the day, the noon position should be reported.

Number of hooks per set

Number of branch lines between floats. The number of branch lines between floats shall be reported for each set.

Number of fish caught per set, for the following species: albacore (*Thunnus alalunga*), bigeye (*Thunnus obesus*), skipjack (*Katsuwonus pelamis*), yellowfin (*Thunnus albacares*), striped marlin (*Tetrapturus audax*), blue marlin (*Makaira mazara*), black marlin (*Makaira indica*), swordfish

(*Xiphias gladius*), shortbill spearfish (*Tetrapturus angustirostris*), sailfish (*Istiophorus platypterus*), blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.

If the total weight or average weight of fish caught per set has been recorded, then the total weight or average weight of fish caught per set, by species, shall also be reported. If the total weight or average weight of fish caught per set has not been recorded, then the total weight or average weight of fish caught per set, by species, should be estimated and the estimates reported. The total weight or average weight shall refer to whole weights, rather than processed weights.

1.4 Information on operations by pole-and-line vessels and related gear types

Activity: This item shall be reported for each day, from the start of the trip to the end of the trip. Activities should include “a day fishing or searching with bait onboard”; “no fishing — collecting bait”; “no fishing — in transit”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.

Date: The date should be GMT/UTC.

Noon position: The noon position should be reported in units of at least minutes of latitude and longitude.

Weight of fish caught per day, for the following species: albacore, bigeye, skipjack, yellowfin, striped marlin, blue marlin, black marlin, swordfish, shortbill spearfish, sailfish, blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.

1.5 Information on operations by purse seiners and related gear types

Activity: This item shall be reported for each set and for days on which no sets were made, from the start of the trip to the end of the trip. Activities should include “a set”; “a day searched, but no sets made”; “no fishing — in transit⁵”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.

⁵ The current definition for a purse seine day in transit (‘a day in transit’) should only cover the following cases:

- Transiting from port to the tropical WCPFC area (10°N - 10°S); or
- Transiting back to port; or
- Transiting from one fishing zone to another in the Convention Area.

Where vessels are transiting as described above, the conditions of transit are that the gear is stowed, with the boom lowered and tied down, and the net covered.”**

Date of start of set, time of start of set and time of end of set: The date and time of the start of set and the time of end of set should be GMT/UTC. If no sets are made, the date and main activity should be reported.

Position of set or noon position: If a set is made, then the position of the set shall be reported. If searching occurs, but no sets are made, then the noon position shall be reported. The position should be reported in units of at least minutes of latitude and longitude.

School association: All common types of school association shall be reported, while uncommon types of associations shall be reported as “other”, including other explanation as appropriate. Common types of school association are “free-swimming” or “unassociated”; “feeding on baitfish”; “drifting log, debris or dead animal”; “drifting raft, FAD or payao”; “anchored raft, FAD or payao”; “live whale”; and “live whale shark”.

Weight of fish caught per set, for the following species: albacore, bigeye, skipjack, yellowfin, striped marlin, blue marlin, black marlin, swordfish, shortbill spearfish, sailfish, blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.

1.6 Information on operations by trollers and related gear types

Activity: This item shall be reported for each day, from the start of the trip to the end of the trip. Activities should include “a day fished”; “no fishing — in transit”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.

Date: The date should be GMT/UTC.

Noon position: The noon position should be reported in units of at least minutes of latitude and longitude.

Number of fish caught per day, for the following species: albacore, bigeye, skipjack, yellowfin, striped marlin, blue marlin, black marlin, swordfish, shortbill spearfish, sailfish, blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.

If the total weight or average weight of fish caught per day has been recorded, then the total weight or average weight of fish caught per day, by species, shall also be reported. If the total weight or average weight of fish caught per day has not been recorded, then the total weight or average weight of fish caught per day, by species, should be estimated and the estimates reported. The total weight or average weight shall refer to whole weights, rather than processed weights.

2. *Geographic area to be covered by operational catch and effort data to be provided to the Commission*

The geographic area to be covered by operational catch and effort data to be provided to the Commission shall be the WCPFC Statistical Area, except for fisheries targeting albacore in the Pacific Ocean south of the Equator, for which the geographic area should be the Pacific Ocean south of the Equator.

3. *Target coverage rate for operational catch and effort data to be provided to the Commission*

The target coverage rate for operational catch and effort data to be provided to the Commission is 100%.

4. *Procedures for the verification of operational catch and effort data*

Operational catch and effort data should be verified as follows:

- a) The amount of the retained catch should be verified with records of unloading obtained from a source other than the crew or owner or operator of the fishing vessel, such as an agent of the company responsible for unloading or onward shipping or purchasing of the catch.
- b) Positions of latitude and longitude should be verified with information obtained from vessel monitoring systems.
- c) The species composition of the catch should be verified with sampling conducted by observers during fishing operations or by port samplers during unloading.

Annex 2. Guidelines of operational level catch and effort data fields for longline, purse seine and pole-and-line gears

A2.1.1 Longline operational data – TRIP INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
VESSEL IDENTIFIER	<p><u>Name of the vessel, country of registration, registration number, and international radio call sign:</u></p> <p>The registration number is the number assigned to the vessel by the state that has flagged the vessel. A code may be used as a vessel identifier instead of the name of the vessel, registration number and call sign for vessels that have fished and that intend to fish only in the waters of national jurisdiction of the State that has flagged the vessel.</p>	YES	<p>Using a vessel identifier field (ideally the WCPFC VID) removes the redundancy of including all vessel attributes with each trip record and ensures standardisation and consistency through referencing the WCPFC Vessel Registry database.</p> <p>Please provide a separate list of Vessel attributes linked to the Vessel identifier field.</p>
PORT/PLACE OF DEPARTURE	<p>The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention).</p> <p>If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then “Transshipment at sea” shall be reported in lieu of the port of departure.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
PORT/PLACE OF UNLOADING	<p>If the end of a trip coincides with transshipping part or all of the catch at sea, then “ATSEA” code shall be reported in lieu of the port of unloading.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
DATE OF DEPARTURE	<p><u>Date of departure from Port.</u> If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	Recommend using ISO 8601 – Date only format
DATE OF UNLOADING /TRANSHIPMENT	<p><u>Date of return to Port.</u> If the end of a trip coincides with transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	Recommend using ISO 8601 – Date only format

A2.1.2 Longline operational data – ACTIVITY INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY
ACTIVITY	Activity: This item shall be reported for each set. Activities should include “a set”.	YES	Suggest using a standardised numeric code for each activity consistent with the WCFPC E-Reporting data field standards.
	Activity: This item ... should be reported for days on which no sets were made, from the start of the trip to the end of the trip. Activities should include “no fishing — in transit”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.	NO	1 – “a set”; [2 – “a day searched, but no set made”]; 3 – “no fishing — in transit”; 4 – “no fishing — gear breakdown”; 5 – “no fishing — bad weather”; 6 – “no fishing — in port”.
DATE/TIME ACTIVITY	Date of start of set and time of start of set. CCMs shall provide information on how their vessels report time zone/format.	YES	
	The date and start of set time should be GMT/UTC. If no sets are made, the date and main activity should be reported.	NO	Please provide the NOON DATE/TIME for each day that the vessel is at sea when a set was not made on that day.
POSITION OF START OF SET	Position of start of set:	YES	Please provide position according to ISO 6709 – Positions in degrees and minutes (to 3 decimal places where relevant).
	The position of start of set should be reported in units of at least minutes of latitude and longitude. If no sets are made for the day, the noon position should be reported.	NO	
NUMBER OF HOOKS PER SET	Number of hooks per set	YES	
NUMBER OF BRANCLINES	Number of branch lines between floats. The number of branch lines between floats shall be reported for each set.	YES	The “Number of Branchlines” are also commonly referred to as “Hooks between floats” or “Branchlines between FLOATS” for some fleets.

A2.1.3 Longline operational data – CATCH INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements																																								
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE																																								
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY																																								
SPECIES CODE	<p>The following species:</p> <table border="1"> <thead> <tr> <th>Species name</th> <th>FAO Code</th> </tr> </thead> <tbody> <tr> <td>albacore (<i>Thunnus alalunga</i>),</td> <td>ALB</td> </tr> <tr> <td>bigeye (<i>Thunnus obesus</i>),</td> <td>BET</td> </tr> <tr> <td>skipjack (<i>Katsuwonus pelamis</i>),</td> <td>SKJ</td> </tr> <tr> <td>yellowfin (<i>Thunnus albacares</i>),</td> <td>YFT</td> </tr> <tr> <td>striped marlin (<i>Tetrapturus audax</i>),</td> <td>MLS</td> </tr> <tr> <td>blue marlin (<i>Makaira mazara</i>),</td> <td>BUM</td> </tr> <tr> <td>black marlin (<i>Makaira indica</i>)</td> <td>BLM</td> </tr> <tr> <td>swordfish (<i>Xiphias gladius</i>),</td> <td>SWO</td> </tr> <tr> <td>shortbill spearfish (<i>Tetrapturus angustirostris</i>)</td> <td>SSP</td> </tr> <tr> <td>sailfish (<i>Istiophorus platypterus</i>)</td> <td>SFA</td> </tr> <tr> <td>blue shark,</td> <td>BSH</td> </tr> <tr> <td>silky shark,</td> <td>FAL</td> </tr> <tr> <td>oceanic whitetip shark,</td> <td>OCS</td> </tr> <tr> <td>mako sharks,</td> <td>MAK, SMA, LMA</td> </tr> <tr> <td>thresher sharks,</td> <td>THR, ALV, PTH, BTH</td> </tr> <tr> <td>porbeagle shark,</td> <td>POR</td> </tr> <tr> <td>hammerhead sharks (winghead, scalloped, great, and smooth)</td> <td>SPN, SPK, SPL, SPZ, SPQ, EUB</td> </tr> <tr> <td>whale shark,</td> <td>RHN</td> </tr> <tr> <td>other species as determined by the Commission.</td> <td></td> </tr> </tbody> </table>	Species name	FAO Code	albacore (<i>Thunnus alalunga</i>),	ALB	bigeye (<i>Thunnus obesus</i>),	BET	skipjack (<i>Katsuwonus pelamis</i>),	SKJ	yellowfin (<i>Thunnus albacares</i>),	YFT	striped marlin (<i>Tetrapturus audax</i>),	MLS	blue marlin (<i>Makaira mazara</i>),	BUM	black marlin (<i>Makaira indica</i>)	BLM	swordfish (<i>Xiphias gladius</i>),	SWO	shortbill spearfish (<i>Tetrapturus angustirostris</i>)	SSP	sailfish (<i>Istiophorus platypterus</i>)	SFA	blue shark,	BSH	silky shark,	FAL	oceanic whitetip shark,	OCS	mako sharks,	MAK, SMA, LMA	thresher sharks,	THR, ALV, PTH, BTH	porbeagle shark,	POR	hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB	whale shark,	RHN	other species as determined by the Commission.		YES	Key WCPFC Species. For each species taken in the set, PROVIDE the SPECIES CODE according to the FAO standard species code list.
Species name	FAO Code																																										
albacore (<i>Thunnus alalunga</i>),	ALB																																										
bigeye (<i>Thunnus obesus</i>),	BET																																										
skipjack (<i>Katsuwonus pelamis</i>),	SKJ																																										
yellowfin (<i>Thunnus albacares</i>),	YFT																																										
striped marlin (<i>Tetrapturus audax</i>),	MLS																																										
blue marlin (<i>Makaira mazara</i>),	BUM																																										
black marlin (<i>Makaira indica</i>)	BLM																																										
swordfish (<i>Xiphias gladius</i>),	SWO																																										
shortbill spearfish (<i>Tetrapturus angustirostris</i>)	SSP																																										
sailfish (<i>Istiophorus platypterus</i>)	SFA																																										
blue shark,	BSH																																										
silky shark,	FAL																																										
oceanic whitetip shark,	OCS																																										
mako sharks,	MAK, SMA, LMA																																										
thresher sharks,	THR, ALV, PTH, BTH																																										
porbeagle shark,	POR																																										
hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB																																										
whale shark,	RHN																																										
other species as determined by the Commission.																																											
	Species that are not WCPFC key species.	NO	Other species not included in list of Key WCPFC species.																																								
CATCH NUMBER	<u>Number of fish caught per set</u> for each of the key WCPFC species.	YES	For each of the key WCPFC species. Also for other non-key WCPFC species if provided.																																								
CATCH WEIGHT	If the total weight or average weight of fish caught per set has been recorded, then the total weight or average weight of fish caught per set, by species, shall also be reported. If the total weight or average weight of fish caught per set has not been recorded, then the total weight or average weight of fish caught per set, by species, should be estimated and the estimates reported. The total weight or average weight shall refer to whole weights, rather than processed weights.	NO	For each of the key WCPFC species.																																								
DISCARDED / RELEASED NUMBER	<u>Number of fish discarded or released per set</u> for each of the key WCPFC species.	NO	Required through other CMMs for certain key WCPFC species, including information on fate and life status. For each of the key WCPFC species.																																								

A2.2.1 Purse seine operational data – TRIP INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
VESSEL IDENTIFIER	<p>Name of the <u>vessel</u>, <u>country of registration</u>, <u>registration number</u>, and <u>international radio call sign</u>:</p> <p>The registration number is the number assigned to the vessel by the state that has flagged the vessel. A code may be used as a vessel identifier instead of the name of the vessel, registration number and call sign for vessels that have fished and that intend to fish only in the waters of national jurisdiction of the State that has flagged the vessel.</p>	YES	<p>Using a vessel identifier field (ideally the WCPFC VID) removes the redundancy of including all vessel attributes with each trip record and ensures standardisation and consistency through referencing the WCPFC Vessel Registry database.</p> <p>Please provide a separate list of Vessel attributes linked to the Vessel identifier field.</p>
PORT/PLACE OF DEPARTURE	<p>The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention).</p> <p>If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then “Transshipment at sea” shall be reported in lieu of the port of departure.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
PORT/PLACE OF UNLOADING	<p>If the end of a trip coincides with transshipping part or all of the catch at sea, then “ATSEA” code shall be reported in lieu of the port of unloading.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
DATE OF DEPARTURE	<p><u>Date of departure from Port</u>. If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	Recommend using ISO 8601 – Date only format
DATE OF UNLOADING / TRANSHIPMENT	<p><u>Date of return to Port</u> If the end of a trip coincides with transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	Recommend using ISO 8601 – Date only format

A2.2.2 Purse seine operational data – ACTIVITY INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY
ACTIVITY	<p>Activity: This item shall be reported for each set and for days on which no sets were made, from the start of the trip to the end of the trip. Activities should include “a set”; “a day searched, but no sets made”; “no fishing — in transit”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.</p>	YES	<p>Suggest using a standardised numeric code for each activity consistent with the WCFPC E-Reporting data field standards.</p> <p>1 – “a set”; 2 – “a day searched, but no sets made”; 3 – “no fishing — in transit”; 4 – “no fishing — gear breakdown”; 5 – “no fishing — bad weather”; 6 – “no fishing — in port”.</p> <p>The purse seine SET INFORMATION and CATCH INFORMATION should be used for every SET event.</p>
	<p>Activity:</p> <p>The current definition for a purse seine day in transit (‘a day in transit’) should only cover the following cases:</p> <ul style="list-style-type: none"> • Transiting from port to the tropical WCPFC area (10°N - 10°S); or • Transiting back to port; or • Transiting from one fishing zone to another in the Convention Area. <p>Where vessels are transiting as described above, the conditions of transit are that the gear is stowed, with the boom lowered and tied down, and the net covered (subject to any further clarification).</p>	NO	
DATE/TIME ACTIVITY	<p>Date/Time of Activity. DATE/TIME shall be reported for each set and for days on which no sets were made. CCMs shall provide information on how their vessels report time zone/format. If searching occurs, but no sets are made, then NOON shall be reported as the TIME.</p>	YES	<p>If the activity is ‘a set’ record DATE/TIME when the set started.</p> <p>Please provide the NOON DATE/TIME for each day that the vessel is at sea when a set was not made on that day.</p>
	The date and start of set time should be GMT/UTC.	NO	
POSITION OF ACTIVITY	<p>Position of set or noon position:</p>	YES	Please provide position according to ISO 6709 – Positions in degrees and minutes (to 3 decimal places where relevant).
	<p>If a set is made, then the position of the set shall be reported. If searching occurs, but no sets are made, then the noon position shall be reported. The position should be reported in units of at least minutes of latitude and longitude.</p>	NO	

A2.2.3 Purse seine operational data – SET INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements														
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE														
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY														
SET IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF SET.														
DATE/TIME OF SET START	Date of start of set and time of start of set. CCMs shall provide information on how their vessels report time zone/format.	YES															
	The date and start of set time should be GMT/UTC. If no sets are made, the date and main activity should be reported.	NO															
DATE/TIME OF END SET	Date of end of set and time of end of set. CCMs shall provide information on how their vessels report time zone/format.	YES															
	The date and end of set time should be GMT/UTC. If no sets are made, the date and main activity should be reported.	NO															
SCHOOL ASSOCIATION	<p>All common types of school association shall be reported, while uncommon types of associations shall be reported as “other”, including other explanation as appropriate.</p> <p>Common types of school association are “free-swimming” or “unassociated”; “feeding on baitfish”; “drifting log, debris or dead animal”; “drifting raft, FAD or payao”; “anchored raft,FAD or payao”; “live whale”; and “live whale shark”.</p>	YES	<p>Suggest using a standardised numeric code for each school type consistent with the WCFPC E-Reporting data field standards.</p> <table> <tr> <td>1</td> <td>Unassociated (free school)</td> </tr> <tr> <td>2</td> <td>Feeding on Baitfish (free school)</td> </tr> <tr> <td>3</td> <td>Drifting log, debris or dead animal</td> </tr> <tr> <td>4</td> <td>Drifting raft, FAD or payao</td> </tr> <tr> <td>5</td> <td>Anchored raft, FAD or payao</td> </tr> <tr> <td>6</td> <td>Live whale</td> </tr> <tr> <td>7</td> <td>Live whale shark</td> </tr> </table>	1	Unassociated (free school)	2	Feeding on Baitfish (free school)	3	Drifting log, debris or dead animal	4	Drifting raft, FAD or payao	5	Anchored raft, FAD or payao	6	Live whale	7	Live whale shark
1	Unassociated (free school)																
2	Feeding on Baitfish (free school)																
3	Drifting log, debris or dead animal																
4	Drifting raft, FAD or payao																
5	Anchored raft, FAD or payao																
6	Live whale																
7	Live whale shark																

A2.2.4 Purse seine operational data – CATCH INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements																																							
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE																																							
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY																																							
SET IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF SET.																																							
SPECIES CODE	The following species:	YES	Key WCPFC Species. For each species taken in the set, PROVIDE the SPECIES CODE according to the FAO standard species code list.																																							
	<table border="1"> <thead> <tr> <th>Species name</th> <th>FAO Code</th> </tr> </thead> <tbody> <tr> <td>albacore (<i>Thunnus alalunga</i>),</td> <td>ALB</td> </tr> <tr> <td>bigeye (<i>Thunnus obesus</i>),</td> <td>BET</td> </tr> <tr> <td>skipjack (<i>Katsuwonus pelamis</i>),</td> <td>SKJ</td> </tr> <tr> <td>yellowfin (<i>Thunnus albacares</i>),</td> <td>YFT</td> </tr> <tr> <td>striped marlin (<i>Tetrapturus audax</i>),</td> <td>MLS</td> </tr> <tr> <td>blue marlin (<i>Makaira mazara</i>),</td> <td>BUM</td> </tr> <tr> <td>black marlin (<i>Makaira indica</i>)</td> <td>BLM</td> </tr> <tr> <td>swordfish (<i>Xiphias gladius</i>),</td> <td>SWO</td> </tr> <tr> <td>shortbill spearfish (<i>Tetrapturus angustirostris</i>)</td> <td>SSP</td> </tr> <tr> <td>sailfish (<i>Istiophorus platypterus</i>)</td> <td>SFA</td> </tr> <tr> <td>blue shark,</td> <td>BSH</td> </tr> <tr> <td>silky shark,</td> <td>FAL</td> </tr> <tr> <td>oceanic whitetip shark,</td> <td>OCS</td> </tr> <tr> <td>mako sharks,</td> <td>MAK, SMA, LMA</td> </tr> <tr> <td>thresher sharks,</td> <td>THR, ALV, PTH, BTH</td> </tr> <tr> <td>porbeagle shark,</td> <td>POR</td> </tr> <tr> <td>hammerhead sharks (winghead, scalloped, great, and smooth)</td> <td>SPN, SPK, SPL, SPZ, SPQ, EUB</td> </tr> <tr> <td>whale shark,</td> <td>RHN</td> </tr> <tr> <td>other species as determined by the Commission.</td> <td></td> </tr> </tbody> </table>			Species name	FAO Code	albacore (<i>Thunnus alalunga</i>),	ALB	bigeye (<i>Thunnus obesus</i>),	BET	skipjack (<i>Katsuwonus pelamis</i>),	SKJ	yellowfin (<i>Thunnus albacares</i>),	YFT	striped marlin (<i>Tetrapturus audax</i>),	MLS	blue marlin (<i>Makaira mazara</i>),	BUM	black marlin (<i>Makaira indica</i>)	BLM	swordfish (<i>Xiphias gladius</i>),	SWO	shortbill spearfish (<i>Tetrapturus angustirostris</i>)	SSP	sailfish (<i>Istiophorus platypterus</i>)	SFA	blue shark,	BSH	silky shark,	FAL	oceanic whitetip shark,	OCS	mako sharks,	MAK, SMA, LMA	thresher sharks,	THR, ALV, PTH, BTH	porbeagle shark,	POR	hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB	whale shark,	RHN	other species as determined by the Commission.
Species name	FAO Code																																									
albacore (<i>Thunnus alalunga</i>),	ALB																																									
bigeye (<i>Thunnus obesus</i>),	BET																																									
skipjack (<i>Katsuwonus pelamis</i>),	SKJ																																									
yellowfin (<i>Thunnus albacares</i>),	YFT																																									
striped marlin (<i>Tetrapturus audax</i>),	MLS																																									
blue marlin (<i>Makaira mazara</i>),	BUM																																									
black marlin (<i>Makaira indica</i>)	BLM																																									
swordfish (<i>Xiphias gladius</i>),	SWO																																									
shortbill spearfish (<i>Tetrapturus angustirostris</i>)	SSP																																									
sailfish (<i>Istiophorus platypterus</i>)	SFA																																									
blue shark,	BSH																																									
silky shark,	FAL																																									
oceanic whitetip shark,	OCS																																									
mako sharks,	MAK, SMA, LMA																																									
thresher sharks,	THR, ALV, PTH, BTH																																									
porbeagle shark,	POR																																									
hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB																																									
whale shark,	RHN																																									
other species as determined by the Commission.																																										
	Species that are not WCPFC key species.	NO	Other species not included in list of Key WCPFC species.																																							
CATCH WEIGHT	Weight of fish caught per set, for the following species: albacore, bigeye, skipjack, yellowfin, blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.	YES	For each of the key WCPFC species.																																							
DISCARDED / RELEASED NUMBER	<u>Number of fish/animal discarded or released per set</u> for each of the key WCPFC species.	NO	Required through other CMMs for certain key WCPFC species, including information on fate and life status. For each of the key WCPFC species.																																							
DISCARDED / RELEASED WEIGHT	<u>Weight of fish/animal discarded or released per set</u> for each of the key WCPFC species.	NO	Required through other CMMs. For each of the key WCPFC species.																																							

A2.2.5 Purse seine operational data – FAD LOG INFORMATION

FAD LOG INFORMATION is required for each new FAD activity, when a FAD is deployed or encountered. Note that the date, time and position should have been recorded through the usual vessel operational activities, catch and effort reporting log and so these data fields may simply be referred to from that source. The reference codes are described in ANNEX 3.

FIELD	Notes on recommended submission requirements
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE. Provides the link to vessel trip.
FAD ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF FAD ACTIVITY
Date of new FAD activity	Record date of each new FAD activity.
Time of new FAD activity	Record time of each new FAD activity.
FAD Activity – Code	Describes the distinct activity that the boat is involved with the FAD. Refer to Table A3.1 .
Latitude	Record Latitude where FAD activity occurred.
Longitude	Record Longitude where FAD activity occurred.
Buoy attached (Y/N)	Enter Y or N if there is a Buoy attached.
Buoy Manufacturers Serial No.	Enter the Buoy Manufacturers Serial No. or Communications ID link.
Buoy Make/Model	Enter the Buoy Make/Model.
Buoy Type – Code	Enter the code for the Buoy type. Refer to Table A3.2 .
Buoy Operator	Enter the Buoy operator (if known).
Buoy lifted (Y/N)	Enter Y or N if the buoy was lifted out of the water.
FAD ID or Markings	Enter any specific FAD ID or Markings.
Origin of FAD – Code	Select the Origin of the FAD (how did it get to be in the water). Refer to Table A3.3
How FAD was found - Code	Indicate how the FAD was found. Refer to Table A3.4
FAD Type as found – Code	Indicate the type of FAD, as found. Refer to Table A3.5
FAD Lifted (Y/N)	Enter Y or N if the FAD was lifted out of the water.
FAD Type as left – Code	Indicate the type of FAD, as left. Refer to Table A3.5
FAD deployment date	Record date when FAD deployment occurred.
FAD deployment location	Record Latitude and Longitude when FAD deployment occurred.
Raft Design – Code	Indicate the code corresponding to the type of raft design (see Table A3.6) and referring to relevant images in ANNEX 3 .
Raft Main (1 st) Materials – Code	Indicate the code corresponding to the raft main material (top/1st) (see Table A3.7).
Raft Main (1 st) Materials %	Enter Raft Main Materials (top/1st) percentage (%) - fields to be specified in 10% bins
Raft Main (2 nd) Materials – Code	Indicate the code corresponding to the raft main material (2 nd) (see Table A3.7).
Raft Main (2 nd) Materials %	Enter Raft Main Materials (2 nd) percentage (%) - fields to be specified in 10% bins
Raft Wrapping – Code	Indicate the code corresponding to the raft wrapping/covering (see Table A3.8).
Raft Buoyancy Devices – Code	Indicate the code corresponding to the raft buoyancy devices (see Table A3.9).
Net mesh size	If nets are used in any component of the raft, indicate the mesh size in centimetres.
Floating structure Width (m)	Enter the Floating structure Width in metres.

FIELD	Notes on recommended submission requirements
Floating structure length (m)	Enter the Floating structure Length in metres.
Hanging Structure dimensions	Enter 1–Known, 2–Unknown or 3–Estimated
Hanging structure length (m)	Enter the Hanging structure Length in metres.
Hanging Structure – Code	Indicate the code corresponding to the type of Hanging Structure (see Table A3.10) and referring to relevant images in ANNEX 4 .
Main Appendages (1 st) – Code	Indicate the code corresponding to the main appendages (top/1st) of the hanging structure see Table A3.11 .
Main Appendages (1 st) %	Enter Main Appendages (top/1st) percentage (%) - fields to be specified in 10% bins
Main Appendages (2 nd) – Code	Indicate the code corresponding to the main appendages (2 nd) of the hanging structure (see Table A3.11).
Main Appendages (2 nd) %	Enter Main Appendages (2 nd) percentage (%) - fields to be specified in 10% bins
Net mesh size	If nets are used in any component of the hanging structure, indicate the mesh size in centimetres.
Attractors – Code	Indicate the code corresponding to the Attractors on the hanging structure (see Table A3.12).
Hanging weights – Code	Indicate the code corresponding to the Hanging weights used (see Table A3.13).
Hanging weight (kgs)	Enter the hanging weight in kilograms
Condition	Enter the condition of the Hanging structure <i>for Trial FADs</i> (see Table A3.14)
Comments	Enter any additional comments necessary

A2.2.6 Purse seine operational data – FAD SPECIES OF SPECIAL INTEREST (SSI) INTERACTION INFORMATION

There may be one or many FAD SSI INTERACTION record for each FAD LOG INFORMATION (activity) record.

FIELD	Notes on recommended submission requirements
TRIP IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE. Provides the link to vessel trip.
FAD ACTIVITY IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF FAD ACTIVITY
FAD ACTIVITY SSI INTERACTION IDENTIFIER	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF FAD ACTIVITY + SSI Species Code
SSI Entangled (Y/N)	Enter Y or N if a Species of Special Interest (SSI) is entangled
SSI Entangled – Species code	Enter three-letter code (selected from FAO Species code list) for each SSI entangled
SSI Entangled – Weight (kgs)	Enter the estimated WEIGHT in kilograms of each SSI entangled
SSI Entangled – Number	Enter the NUMBER of each SSI entangled

A2.3.2 Pole-and-line operational data – DAILY INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
VESSEL IDENTIFIER	<p>Name of the vessel, country of registration, registration number, and international radio call sign:</p> <p>The registration number is the number assigned to the vessel by the state that has flagged the vessel. A code may be used as a vessel identifier instead of the name of the vessel, registration number and call sign for vessels that have fished and that intend to fish only in the waters of national jurisdiction of the State that has flagged the vessel.</p>	YES	<p>Using a vessel identifier field (ideally the WCPFC VID) removes the redundancy of including all vessel attributes with each trip record and ensures standardisation and consistency through referencing the WCPFC Vessel Registry database.</p> <p>Please provide a separate list of Vessel attributes linked to the Vessel identifier field.</p>
PORT/PLACE OF DEPARTURE	<p>The start of a trip is defined to occur when a vessel (a) leaves port after unloading part or all of the catch to transit to a fishing area or (b) recommences fishing operations or transits to a fishing area after transshipping part or all of the catch at sea (when this occurs in accordance with the terms and conditions of article 4 of Annex III of the Convention, subject to specific exemptions as per article 29 of the Convention).</p> <p>If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then “Transshipment at sea” shall be reported in lieu of the port of departure.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
PORT/PLACE OF UNLOADING	<p>If the end of a trip coincides with transshipping part or all of the catch at sea, then “ATSEA” code shall be reported in lieu of the port of unloading.</p>	YES	<p>Where possible, please provide a standardised Port location code through the following facility</p> <p>https://unece.org/trade/cefact/unlocode-code-list-country-and-territory</p> <p>The WCPFC will consider the establishment of WCPFC LOCATION CODEs in the future.</p>
DATE OF DEPARTURE	<p>Date of departure from Port. If the start of a trip coincides with recommencing fishing operations or transiting to a fishing area after transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	<p>Recommend using ISO 8601 – Date only format</p>
DATE OF UNLOADING / TRANSHIPMENT	<p>Date of return to Port. If the end of a trip coincides with transshipping part or all of the catch at sea, then date for the transshipment at sea shall be indicated.</p>	YES	<p>Recommend using ISO 8601 – Date only format</p>

A2.3.2 Pole-and-line operational data – DAILY INFORMATION

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY
ACTIVITY	<p>Activity: This item shall be reported for each day, from the start of the trip to the end of the trip.</p> <p>Activities should include “a day fishing or searching with bait onboard”; “no fishing — collecting bait”; “no fishing — in transit”; “no fishing — gear breakdown”; “no fishing — bad weather”; and “no fishing — in port”.</p>	YES	<p>Suggest using a standardised numeric code for each activity.</p> <p>1 – “a day fishing or searching with bait onboard”; 2 – “no fishing — collecting bait”; 3 – “no fishing — in transit”; 4 – “no fishing — gear breakdown”; 5 – “no fishing — bad weather”; 6 – “no fishing — in port”.</p>
DATE	Date (at sea).	YES	
	The date should be GMT/UTC.	NO	Please provide the NOON DATE/TIME for each day that the vessel is at sea when a set was not made on that day.
NOON POSITION	Noon position:	YES	Please provide position according to ISO 6709 – Positions in degrees and minutes (to 3 decimal places where relevant).
	The noon position should be reported in units of at least minutes of latitude and longitude.	NO	

FIELD	Reference text in Annex 1.	Binding	Notes on recommended submission requirements																																					
TRIP IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be VESSEL + DEPARTURE DATE																																					
ACTIVITY IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF ACTIVITY																																					
SET IDENTIFIER		NO	Internally generated. Can be NATURAL KEY or unique integer. NATURAL KEY would be DATE + START TIME OF SET.																																					
SPECIES CODE	The following species:	YES	Key WCPFC Species. For each species taken in the set, PROVIDE the SPECIES CODE according to the FAO standard species code list.																																					
	<table border="1"> <thead> <tr> <th>Species name</th> <th>FAO Code</th> </tr> </thead> <tbody> <tr> <td>albacore (<i>Thunnus alalunga</i>),</td> <td>ALB</td> </tr> <tr> <td>bigeye (<i>Thunnus obesus</i>),</td> <td>BET</td> </tr> <tr> <td>skipjack (<i>Katsuwonus pelamis</i>),</td> <td>SKJ</td> </tr> <tr> <td>yellowfin (<i>Thunnus albacares</i>),</td> <td>YFT</td> </tr> <tr> <td>striped marlin (<i>Tetrapturus audax</i>),</td> <td>MLS</td> </tr> <tr> <td>blue marlin (<i>Makaira mazara</i>),</td> <td>BUM</td> </tr> <tr> <td>black marlin (<i>Makaira indica</i>),</td> <td>BLM</td> </tr> <tr> <td>swordfish (<i>Xiphias gladius</i>),</td> <td>SWO</td> </tr> <tr> <td>shortbill spearfish (<i>Tetrapturus angustirostris</i>),</td> <td>SSP</td> </tr> <tr> <td>sailfish (<i>Istiophorus platypterus</i>),</td> <td>SFA</td> </tr> <tr> <td>blue shark,</td> <td>BSH</td> </tr> <tr> <td>silky shark,</td> <td>FAL</td> </tr> <tr> <td>oceanic whitetip shark,</td> <td>OCS</td> </tr> <tr> <td>mako sharks,</td> <td>MAK, SMA, LMA</td> </tr> <tr> <td>thresher sharks,</td> <td>THR, ALV, PTH, BTH</td> </tr> <tr> <td>porbeagle shark,</td> <td>POR</td> </tr> <tr> <td>hammerhead sharks (winghead, scalloped, great, and smooth)</td> <td>SPN, SPK, SPL, SPZ, SPQ, EUB</td> </tr> <tr> <td>whale shark,</td> <td>RHN</td> </tr> <tr> <td>other species as determined by the Commission.</td> <td></td> </tr> </tbody> </table>			Species name	FAO Code	albacore (<i>Thunnus alalunga</i>) ,	ALB	bigeye (<i>Thunnus obesus</i>) ,	BET	skipjack (<i>Katsuwonus pelamis</i>) ,	SKJ	yellowfin (<i>Thunnus albacares</i>) ,	YFT	striped marlin (<i>Tetrapturus audax</i>) ,	MLS	blue marlin (<i>Makaira mazara</i>) ,	BUM	black marlin (<i>Makaira indica</i>) ,	BLM	swordfish (<i>Xiphias gladius</i>) ,	SWO	shortbill spearfish (<i>Tetrapturus angustirostris</i>) ,	SSP	sailfish (<i>Istiophorus platypterus</i>) ,	SFA	blue shark ,	BSH	silky shark ,	FAL	oceanic whitetip shark ,	OCS	mako sharks ,	MAK, SMA, LMA	thresher sharks ,	THR, ALV, PTH, BTH	porbeagle shark ,	POR	hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB	whale shark ,
Species name	FAO Code																																							
albacore (<i>Thunnus alalunga</i>) ,	ALB																																							
bigeye (<i>Thunnus obesus</i>) ,	BET																																							
skipjack (<i>Katsuwonus pelamis</i>) ,	SKJ																																							
yellowfin (<i>Thunnus albacares</i>) ,	YFT																																							
striped marlin (<i>Tetrapturus audax</i>) ,	MLS																																							
blue marlin (<i>Makaira mazara</i>) ,	BUM																																							
black marlin (<i>Makaira indica</i>) ,	BLM																																							
swordfish (<i>Xiphias gladius</i>) ,	SWO																																							
shortbill spearfish (<i>Tetrapturus angustirostris</i>) ,	SSP																																							
sailfish (<i>Istiophorus platypterus</i>) ,	SFA																																							
blue shark ,	BSH																																							
silky shark ,	FAL																																							
oceanic whitetip shark ,	OCS																																							
mako sharks ,	MAK, SMA, LMA																																							
thresher sharks ,	THR, ALV, PTH, BTH																																							
porbeagle shark ,	POR																																							
hammerhead sharks (winghead, scalloped, great, and smooth)	SPN, SPK, SPL, SPZ, SPQ, EUB																																							
whale shark ,	RHN																																							
other species as determined by the Commission.																																								
	Species that are not WCPFC key species.	NO	Other species not included in list of Key WCPFC species.																																					
CATCH WEIGHT	Weight of fish caught per day , for the following species: albacore, bigeye, skipjack, yellowfin, blue shark, silky shark, oceanic whitetip shark, mako sharks, thresher sharks, porbeagle shark (south of 20°S, until biological data shows this or another geographic limit to be appropriate), hammerhead sharks (winghead, scalloped, great, and smooth), whale shark, and other species as determined by the Commission.	YES	For each of the key WCPFC species.																																					
DISCARDED / RELEASED NUMBER	Number of fish/animal discarded or released per set for each of the key WCPFC species.	NO	Required through other CMMs for certain key WCPFC species, including information on fate and life status. For each of the key WCPFC species.																																					
DISCARDED / RELEASED WEIGHT	Weight of fish/animal discarded or released per set for each of the key WCPFC species.	NO	Required through other CMMs. For each of the key WCPFC species.																																					

ANNEX 3 – FAD Logsheet Reference Code Tables

Note that these codes are consistent with the Regional Observer Programme (ROP) minimum data fields and the WCPFC E-Reporting standards for OBSERVER data fields (https://www.wcpfc.int/doc/data-05/e-reporting_ssps), where relevant.

Table A3.1. Codes for FAD Activity

Code	Description for FAD Activities
1	Investigating (no other activity listed below)
2	Fishing Set (Retrieving FAD)
3	Fishing Set (FAD left in water after set)
4-a	Deployment – New FAD
4-b	Deployment – Retrieved FAD
4-c	Deployment – A FAD without buoy
5	Retrieving (without being set on)
6	Servicing or modifying raft and/or attachment
7	Detaching Buoy found attached
8	Attaching a Buoy to
9	Retrieving Buoy only
10	Transfer a Buoy to another vessel at sea
11	Transfer a Buoy from another vessel at sea
12	Retrieving a Buoy in port
13	Other Activity (please specify in COMMENTS)

Table A3.2. Codes for Buoy type

Code	Description for Buoy type
1	GPS Sphere type
2	Satellite with Echo-Sounder
3	Satellite with no Echo-Sounder
4	Other Activity (please specify in COMMENTS)

Table A3.3 Codes for Origin of FAD

Code	Description for ORIGIN of FAD
1	Deployed by your vessel this trip
2	Deployed by your vessel previous trip
3-a	Deployed by other vessel – another purse seine vessel
3-b	Deployed by other vessel – purse seine SUPPORT vessel
3-c	Deployed by other vessel – LONGLINE vessel
3-d	Deployed by other vessel – CARRIER or BUNKER vessel
3-e	Deployed by other vessel – Other
4	Drifting and found by your vessel
5	Other origin – (please specify in COMMENTS)

Table A3.4 Codes for How FAD was found

Code	Description for ORIGIN of FAD
1	Located by Electronic Transmission data
2	Located by sighting from (the vessel/helicopter/drone/radar)
3	Anchored FAD/payao (position recorded)
4	Located using information shared by other fishers
5	Other (please specify in COMMENTS)

Table A3.5. Codes for FAD as Found/Left

Code	Description for FAD Types
1	Drifting FAD (person-made)
2	Non-FAD (man-made)
3	Tree or logs (natural, free floating)
4	Tree or logs (converted into FAD)
5	Debris (flotsam bunched together)
6	Dead animal(s) (specify, i.e., whale, horse, etc.)
7	Anchored raft FAD or Payao
8	Anchored tree or logs
9	Other (please specify in COMMENTS)
10	Drifting FAD (person-made) changed (FAD as Left Only)

Table A3.6. Codes for Raft Design (refer to ANNEX 4)

Code	Description of RAFT DESIGN
1	Bamboo with Floats Design 1
2	Bamboo with Floats Design 2
3	Bamboo Design 1
4	Bamboo Design 2
5	Bamboo Design 3
6	Burrito
7	Log
8	Payao
9	Small House
10	No Raft
11	Other (please specify in COMMENTS)

Table A3.7. Codes for Raft Main Materials

Code	Description for RAFT Main Materials
1	Bamboo
2	Timber/ planks/ pallets/ spools
3	Metal
4	PVC/ plastic
5	Other (please specify in COMMENTS)

Table A3.8. Codes for Raft Wrapping/Covering

Code	Description for Raft Wrapping/Covering
1-a	Canvas and/or canvas bags and/or cloth – Synthetic fiber
1-b	Canvas and/or canvas bags and/or cloth – Natural fiber
2-a	Netting – Synthetic fiber – <u>Mesh Size (cms)</u>
2-b	Netting – Natural fiber – <u>Mesh Size (cms)</u>
3	Palm fronds
4	No wrapping
5	Other (please specify in COMMENTS)

Table A3.9. Codes for Raft Buoyancy Devices

Code	Description for Raft Buoyancy Devices
1	Plastic Buoys
2	Plastic Containers
3	Net Corks
4	Metal
5	Wood (e.g. balsa wood)
6	Other natural material (please specify)
7	No floats in addition to raft
8	Other (please specify in COMMENTS)

Table A3.10. Codes for Hanging Structure Design (refer to ANNEX 5)

Code	Description for Hanging Structure Design
1	Design 1
2	Design 2
3	Design 3
4	Design 4
5	Design 5
6	Design 6
7	Design 7
8	Design 8

Table A3.11. Codes for Main Appendages of Hanging Structure

Code	Description for Main Appendages of Hanging Structure
1-a	Open Net – Synthetic fiber
1-b	Open Net – Natural fiber
2-a	Sheets or Panels – Synthetic fiber
2-b	Sheets or Panels – Natural fiber
3-a	Cord/Rope – Synthetic fiber
3-b	Cord/Rope – Natural fiber
4	Palm fronds
5	Bamboo
6	Other wood/ pallets or spools
7	No hanging structure
8	Other (please specify in COMMENTS)

Table A3.12. Codes for Attractors

Code	Description for Attractors
1-a	Canvas and/or canvas bags and/or cloth – Synthetic fiber
1-b	Canvas and/or canvas bags and/or cloth – Natural fiber
2-a	Netting – Synthetic fiber
2-b	Netting – Natural fiber
3	Palm fronds
4	No attractors
5	Other (please specify in COMMENTS)


Table A3.13. Codes for Hanging weights used

Code	Description for Hanging weights used
1	Rock
2	Sand
3	Synthetic
4	Other (please specify in COMMENTS)

Table A3.14. Codes for Condition of hanging structure

Code	Condition of Hanging Structure
1	Excellent
2	Very Good
3	Good
4	Regular
5	Bad
6	Very Bad

ANNEX 4: RAFT DESIGN



ANNEX 5: HANGING STRUCTURE DESIGN

