

SCIENTIFIC COMMITTEE THIRD REGULAR SESSION


13-24 August 2007 Honolulu, United States of America

ANNUAL REPORT – PART 1 INFORMATION ON FISHERIES, RESEARCH, AND STATISTICS

WCPFC-SC3-AR PART 1/WP-11

FRENCH POLYNESIA

Tuna fisheries in French Polynesia in 2006



Cédric Ponsonnet, Christophe Misselis, Marie Yonger

Fisheries Department (Service de la Pêche) Tahiti, French Polynesia

August 2007

Introduction

Tuna fishery is a major component of the development of French Polynesia economy, either for economical and social aspects. Its professional tuna fishery is divided into two components: a small scale coastal fishery and an offshore long line fishery. There is no longer fishing agreement inside the EEZ for foreign fleet since December 2000.

1 Annual Fisheries Information

Fleet structure

The coastal fishery comprises two types of boat: the *poti marara*, (literally 'flying-fish boats') which are small boats, 6-8 m in length, made from wood or FRP and suitable for many different fishing techniques (trolling, vertical longlining or harpooning, operating in the coastal area in the vicinity of 15 nm) and the *bonitiers* ('skipjack boats'), which are 10-to-12 m long boats made from wood or FRP, targeting skipjack using pole-and-line.

Figure 1 – Nominal catch by fishing gear for the small scale nearshore fishery




Table 1 – Fleet structure of the small scale nearshore fishery

| Type of boats | 2002 | 2003 | 2004 | 2005 | 2006 |
|---------------|------|------|------|------|------|
| Poti marara | 237 | 245 | 247 | 234 | 275 |
| Bonitier | 55 | 55 | 55 | 49 | 52 |

Although the size of the *poti marara* fleet shows some fluctuations among years, this fleet seems to have reached a stable level and the individual fishing effort will probably remain quite steady in the future. It is noteworthy that there is also a large number of non professional *poti marara* whose fishing effort and catches are difficult to estimate. The *bonitiers*' fleet has steadily decreased and it is likely that this trend will continue in the future. Nevertheless, consistent with the low level of coverage, short term trends are difficult to highlight for these two fleets.

The longliners fleet could be sorted into two types of vessels : fresh fish longliners and freezer longliners.

Fresh fish longliners, comprise boats 11-to-20 m in length made of aluminium or FRP. These boats make15 days trips, partly due to the limited time of conservation on ice as well as their limited range.

Freezer longliners are mostly 21-26 m steel vessels. These boats can remain at sea for 1 1/2 up to 3 months and have freezer capacity However, the last sets are often used to target fresh-fish that is kept on ice or in slurry. Since 2003, several freezer boats have been operated as fresh tuna boats as the price on the local market is generally higher for the fresh tunas.

Table 2 – Fleet structure of the small scale nearshore fishery

| Type of boats | 2002 | 2003 | 2004 | 2005 | 2006 |
|--------------------|------|------|------|------|------|
| Fresh longliners | 36 | 42 | 45 | 40 | 39 |
| Freezer longliners | 18 | 22 | 30 | 32 | 32 |

Annual catch by species

The overall nominal catches for the professional tuna fisheries in 2006 is estimated around 8 000 metric tons, albacore accounting for 38 %, yellowfin tuna for 15 %, skipjack for 14 % and big eye tuna for 6 %.

Table 3 – Annual catch estimates for the bonitier fleet

| Metric tons | 2002 | 2003 | 2004 | 2005 | 2006 |
|----------------|------|------|------|------|------|
| Skipjack | 513 | 521 | 520 | 391 | 585 |
| Yellowfin tuna | 99 | 77 | 142 | 104 | 126 |
| Dolphin fish | 36 | 32 | 22 | 27 | 36 |
| Billfish | 21 | 24 | 21 | 20 | 18 |
| Wahoo | 17 | 6 | 7 | 19 | 37 |
| Albacore tuna | 7 | 11 | 6 | 6 | 20 |
| Other | 18 | 11 | 18 | 13 | 79 |
| Total | 711 | 682 | 737 | 580 | 901 |

Table 4 – Annual catch estimates for the poti marara fleet

| Poti marara | 2002 | 2003 | 2004 | 2005 | 2006 |
|----------------|-------|-------|-------|-------|-------|
| Skipjack | 515 | 472 | 491 | 365 | 516 |
| Yellowfin tuna | 307 | 235 | 412 | 288 | 419 |
| Dolphin fish | 396 | 292 | 244 | 240 | 435 |
| Billfish | 92 | 109 | 112 | 148 | 161 |
| Wahoo | 46 | 37 | 46 | 67 | 79 |
| Albacore tuna | 99 | 87 | 72 | 86 | 138 |
| Other | 135 | 121 | 181 | 110 | 161 |
| Total | 1 590 | 1 353 | 1 557 | 1 303 | 1 909 |

Table 5 – Annua catch estimates for the longline fleet

| Metric tons | 2002 | 2003 | 2004 | 2005 | 2006 |
|----------------|-------|-------|-------|-------|-------|
| Albacore tuna | 4 557 | 3 846 | 2 218 | 2 426 | 2 918 |
| Yellowfin tuna | 507 | 621 | 1 066 | 793 | 690 |
| Big eye tuna | 649 | 439 | 502 | 606 | 498 |
| Blue marlin | 255 | 303 | 243 | 251 | 266 |
| Wahoo | 168 | 195 | 196 | 243 | 201 |
| Other sharks | 525 | 280 | 317 | 217 | 123 |
| Opah | 140 | 188 | 150 | 118 | 108 |
| Dolphin fish | 117 | 172 | 129 | 90 | 113 |
| Strpied marlin | 91 | 117 | 109 | 91 | 122 |
| Swordfish | 70 | 117 | 86 | 79 | 83 |
| Misc. | 88 | 10 | 75 | 64 | 31 |
| Oilfish | 52 | 30 | 37 | 26 | 27 |
| Mako shark | 40 | 49 | 37 | 25 | 26 |
| Skipjack | 92 | 55 | 72 | 24 | 28 |
| Pomfret | 18 | 16 | 25 | 21 | 15 |
| Spearfish | 23 | 15 | 12 | 10 | 9 |
| Sailfish | 6 | 11 | 5 | 4 | 2 |
| Black marlin | 2 | 1 | 1 | 0 | 0 |
| Total | 7 401 | 6 468 | 5 278 | 5 087 | 5 258 |

Catches from the nearshore fishery are stored on ice and sold fresh within the island of production. Although, the freezer longliners represent 45 % of the fleet, only 20 % of the nominal longliners catches are landed frozen (whole or loined). An equivalent of 18 % of the commercial longline catches are exported: 60 % of the frozen landings but only 7 % of the fresh landings.

Fishing patterns

More than three fourth of the nearshore fishery is based in the Society archipelago. Although the individual fishing effort shows some vicissitude the global fishing effort is relatively stable among the year and no seasonal trends can be highlighted.

The longliners fleet, most entirely based in Tahiti, usually exploit half to two third of the EEZ but the core fishing ground remains historically in the north part of the EEZ $(10^{\circ}-20^{\circ} \text{ S}/140^{\circ}-150^{\circ}\text{W})$. (Appendix 1)

2 Research and statistics

Statistical data collection system

The data collection system for the longline fishery comprises six components.

• Fishing license

Fishing license for the domestic vessels is delivered for the life of the boat, presuming it does not change property and clears its annual visit for security. Any change of property or main modification on the vessel is subject to a re-licensing procedure. Currently, French Polynesia has not limited the number of domestic vessels authorised to operate in its EEZ.

Fishing permit for foreign vessels is delivered on an annual basis; no permit has been authorised since the end of the fishing agreement on December 2000.

Boat activity

Every week day, the Fisheries office census the activity of the fleet at the fishing port. The main purpose is to monitor (in real time) the gross activity of the fleet. These data are also used as the main input for estimating the production of the vessels which do not report their catches.

Logbook

Licensed operators are required to record and submit daily records of fishing activities at an operational level to the Fisheries Office.

| Parameter | Coverage rate (%) |
|-------------|-------------------|
| Boats | 85 |
| Trips | 80 |
| Days at sea | 82 |
| Hooks | 78 |

Table 6 – Coverage rate of the longline fleet activity in 2006

Unloadings

Most of the licensed long line boats have an obligation to unload catches within the fishing port of Papeete. The port manager has to monitor the amount of fish unloaded in order to collect unloading fees. Coverage rate for the overall landings is estimated around 50 % of the commercial catches. Coverage rate for the fresh products is estimated at 43 %. Coverage rate for frozen products is higher, 60-70 %, but the information is often less detailed.

Ajouter ici un paragraphe sur les transbordements et éventuels débarquements étrangers

Observer program

The French Polynesia Observer Programme began in September 2002 with 2 observers (1 observer and 1 coordinator). In 2006, we had 1 coordinator, 2 observers and 2 port samplers. The two port samplers joined the observers' team in June 2006.

In 2006, 20 observer trips were conducted on board of domestic longliners (487 days at sea, 312 sets and more than 723.000 hooks observed). Observer trips represent coverage of 5.86% (percentage of fishing days).

In 2006, observer placements increased slowly (18 trips in 2005), particularly on medium (<20m) fresh tuna boats, but placements on the larger freezer vessels remained low (7 boats observed and 5 of them were vessels involved in the experimental fishing trip).

Port sampling

Since June 2006, a team of 2 port samplers carried out port-sampling operations.

| Month | No boats unloaded | No boats sampled |
|-----------|-------------------|------------------|
| June | * | 13 |
| July | * | 32 |
| August | 58 | 34 |
| September | 60 | 35 |
| October | 75 | 40 |
| November | 75 | 39 |
| December | 28 | 17 |

Table 7 – Port sampling operation in 2006

210 port sampling operations were conducted during fish unloading processes. Sampling coverage was 56%. This coverage is lower than 2005 coverage (72%), but the data are better since the boats are now fully sampled.

Research


The Service de la Pêche of French Polynesia has been leading since 2005 experimental fishing with domestic longliners. The main objective is to sample different fishing grounds that are not currently exploited by the fleet. In 2005, the first trip was undertaken with 2 longliners in the east of Marquesas Islands. In 2006, a second trip was undertaken in the southern part of Polynesian EEZ with 6 domestic freezer longliners in November and December. These 6 boats worked in a large area delimited by the south Polynesian EEZ boundary and between 25°S and 31°S. Four of the 6 vessels set longline during day time for targeting albacore and the last two set during night time to target swordfish. Five boats were carrying an observer on board.

Catch rates for tunas and tuna-like species were very low. Catches of swordfish were relatively better. Some domestic longliners are willing to target swordfish seasonally during 2007.


The boats have fished down to 32°S and observers reported very few bird abundance and no interaction with the fishing gear during the experiment.

^{*} data not available

French Polynesia domestic longline fleet in 2002



French Polynesia domestic longline fleet in 2003







* Catch: nominal catches unraised. Coverage rate for 2003 is 80 %



French Polynesia domestic longline fleet in 2004







* Catch: nominal catches unraised. Coverage rate for 2004 is 74 %



French Polynesia domestic longline fleet in 2005



French Polynesia domestic longline fleet in 2006



Appendix 2: Composition of coastal fleets since 1990

| Year | Bonitiers | Poti marara | Total |
|------|-----------|-------------|-------|
| 1990 | 118 | 100 | 218 |
| 1991 | 108 | 104 | 212 |
| 1992 | 115 | 106 | 221 |
| 1993 | 98 | 152 | 250 |
| 1994 | 96 | 155 | 251 |
| 1995 | 100 | 159 | 259 |
| 1996 | 96 | 160 | 256 |
| 1997 | 70 | 166 | 236 |
| 1998 | 72 | 207 | 279 |
| 1999 | 74 | 242 | 316 |
| 2000 | 63 | 280 | 343 |
| 2001 | 60 | 250 | 310 |
| 2002 | 55 | 237 | 292 |
| 2003 | 55 | 245 | 300 |
| 2004 | 55 | 247 | 302 |
| 2005 | 49 | 234 | 283 |
| 2006 | 52 | 275 | 327 |

N.B: 2003 to 2005 figures updated since last year

Appendix $\bf 3$: Evolution of the catches of the coastal fleet

| Year | Catch estimates |
|-------|-----------------|
| 1 cai | (mt) |
| 1990 | 1,567 |
| 1991 | 2,048 |
| 1992 | 1,822 |
| 1993 | 1,341 |
| 1994 | 1,681 |
| 1995 | 2,110 |
| 1996 | 1,703 |
| 1997 | 1,612 |
| 1998 | 2,192 |
| 1999 | 2,033 |
| 2000 | 2,028 |
| 2001 | 2,506 |
| 2002 | 2,301 |
| 2003 | 2,035 |
| 2004 | 2,294 |
| 2005 | 1,883 |
| 2006 | 2,810 |

N.B: 2003 to 2005 figures updated since last year

Appendix 4: Composition of offshore longline fleet since 1990

| Year | Longline bonitiers | Fresh tuna boats | Freezer tuna boats | Total | Hooks (*1000) |
|------|-----------------------|---------------------|-----------------------|-------|------------------|
| 1990 | 1 | - | 4 | 5 | 49 |
| 1991 | 2 | 2 | 6 | 10 | 414 |
| 1992 | 15 | 6 | 4 | 25 | 662 |
| 1993 | 25 | 15 | 7 | 47 | 3,650 |
| 1994 | 25 | 29 | 9 | 63 | 5,026 |
| 1995 | 23 | 31 | 11 | 65 | 5,898 |
| 1996 | 21 | 26 | 12 | 59 | 6,601 |
| 1997 | 15 | 30 | 15 | 60 | 7,549 |
| 1998 | 14 | 28 | 12 | 54 | 8,247 |
| 1999 | 14 | 24 | 19 | 57 | 11,760 |
| 2000 | 11 | 30 | 16 | 57 | 12,453 |
| 2001 | 10 | 34 | 17 | 57 | 14,109 |
| 2002 | 6 | 30 | 18 | 54 | 13,964 |
| 2003 | 6 | 37 | 22 | 64 | 17,873 |
| 2004 | 3 | 42 | 30 | 75 | 22,515 |
| 2005 | 0 | 40 | 32 | 72 | 21,454 |
| 2006 | 0 | 39 | 32 | 71 | 19,652 |

Appendix 5: Evolution of the catches of the off shore fleet

| Year | Long line fleet | Trollers (40°S) | Total |
|------|-----------------|-----------------|-------|
| 1990 | 55 | 299 | 354 |
| 1991 | 370 | 326 | 696 |
| 1992 | 820 | 72 | 892 |
| 1993 | 2 400 | 45 | 2 445 |
| 1994 | 2 653 | 0 | 2 653 |
| 1995 | 2 455 | 183 | 2 638 |
| 1996 | 3 373 | 69 | 3 442 |
| 1997 | 4 636 | 24 | 4 660 |
| 1998 | 5 282 | 0 | 5 282 |
| 1999 | 5 303 | 0 | 5 303 |
| 2000 | 6 891 | 0 | 6 891 |
| 2001 | 7 811 | 0 | 7 811 |
| 2002 | 7 401 | 0 | 7 401 |
| 2003 | 6 530 | 0 | 6 530 |
| 2004 | 5 159 | 0 | 5 159 |
| 2005 | 5 082 | 0 | 5 082 |
| 2006 | 5 258 | 0 | 5 258 |