



**SCIENTIFIC COMMITTEE  
FIFTEENTH REGULAR SESSION**

Pohnpei, Federated States of Micronesia  
12-20 August 2019

---

**2019 ANNUAL REPORT TO THE COMMISSION  
PART 1: INFORMATION ON FISHERIES, RESEARCH AND STATISTICS**

---

**WCPFC-SC15-AR/CCM-12**

Republic of Korea

# 2019 ANNUAL REPORT TO THE COMMISSON

## Part 1. INFORMATION ON FISHERIES, RESEARCH AND STATISTICS

### Republic of Korea

Doo Nam KIM, Sung Il LEE, Mi Kyung LEE and Youjung KWON

*National Institute of Fisheries Science (NIFS)  
216 Gijang-Haeanro, Gijang-eup, Gijang-gun, Busan 46083, Republic of Korea*

<b>Scientific data was provided to the Commission in accordance with the decision relating to the provision of scientific data to the Commission by 30 April 2019</b>	<b>YES</b>
---	------------

## 1. SUMMARY

Korea has two types of fishing gears, purse seine and longline, that engage in fishing for tuna and tuna-like species in the WCPFC Convention Area. These fisheries are managed by the Distant Water fisheries Development Act of Korea. Total catch in the WCPFC convention area by the Korean fisheries in 2018 was 292,345 mt, which accounted for 1% and 9% greater than that of average for recent 5 years (2014-2018) and 2018, respectively. The catch of purse seine fishery with 27 vessels active was 267,558 mt in 2018, which was similar to the average for recent 5 years (2014-2018) and 8% greater than in 2017. The catch of longline fishery with 97 vessels active in 2018 was 24,788 mt, which was 2% and 15% greater than that of average for recent 5 years (2015-2018) and 2017, respectively. In purse seine fishery, skipjack and bigeye catches in 2018 were 21% and 34% greater, and yellowfin catch was 42% less than those of 2017, respectively. In longline fishery, bigeye and yellowfin catches in 2018 were 35% greater and 7% less than those of 2016, respectively. Purse seine fishing efforts ranged from 5,790 to 6,882 sets during 5 recent years (2014-2018), which showed the highest in 2014 and the lowest in 2016. Longline fishing efforts ranged from 47,157 to 58,201 thousand hooks during 5 recent years (2014-2018), which showed the highest in 2018 and the lowest in 2015. The logsheet coverages in 2018 were 100% for both purse seine and longline, and the observer coverage in 2018 was 100% for purse seine and 4.35% for longline.

## 2. Tabular Annual Fisheries Information

Table 1(a). Annual catch and effort estimates for the Korean purse seine fishery by primary species in the WCPFC Convention Area, 2014-2018

Year	No. of sets	Catch (mt)				
		Total	SKJ	BET	YFT	OTH
2014	6,882	270,048	222,825	1,366	45,856	1
2015	6,113	268,277	231,695	1,857	34,695	30
2016	5,790	278,514	233,014	4,401	41,040	59
2017	6,796	246,849	192,922	3,235	50,675	18
2018	6,866	267,558	233,729	4,339	29,480	9

\* Data for 2018 are preliminary.

Table 1(b). Annual catch and effort estimates for the Korean longline fishery by primary species in the WCPFC Convention Area, 2014-2018

Year	No. of hooks ( $\times 10^3$ )	Catch (mt)										
		Total	ALB	YFT	BET	BFT	SKJ	BLM	BUM	MLS	SWO	OTH
2014	55,759	26,265	714	8,371	12,779	0	100	82	1,887	56	1,048	1,229
2015	47,157	24,437	1,042	9,352	10,689	0	104	137	1,782	50	724	557
2016	55,238	24,201	1,481	8,054	11,018	0	166	100	2,235	89	697	363
2017	48,294	21,639	1,294	7,008	10,220	0	186	14	1,880	62	570	406
2018	58,201	24,788	1,225	6,519	13,828	0	202	39	1,740	67	791	377

\* Data for 2018 are preliminary.

Table 1(c). Annual catch and effort of north Pacific albacore by the Korean longline fishery, 2014-2018

Year	Catch (mt)	Effort (days fished)
2014	116	1,224
2015	51	857
2016	56	943
2017	202	1,999
2018	101	1,347

\* Korea does not have any vessels targeting north Pacific albacore, and any north Pacific albacore catch is bycatch.

Table 1(d). Annual catch and effort of southwest striped marlin by the Korean longline fishery in the south of 15°S, 2015-2018

Year	Catch (mt)	Effort (number of fishing vessels)
2015	0	0
2016	0	0
2017	0	0
2018	0	0

\* Korea does not have any vessels fishing for southwest striped marlin, and any southwest striped marlin catch is bycatch.

Table 1(e). Annual catch of swordfish by the Korean longline fishery in the south of 20°S, 2014-2018

Year	CMM-flagged vessels south of 20°S		Chartered vessels		Other vessels fishing within the CCM's waters south of 20°S		
	Catch (mt)	Vessel numbers	Catch (mt)	Vessel numbers	Flag	Catch (mt)	Vessel numbers
2014	0	0	0	0	0	0	0
2015	<1	2	0	0	0	0	0
2016	0	0	0	0	0	0	0
2017	0	0	0	0	0	0	0
2018	0	0	0	0	0	0	0

\* Korea does not have any vessels fishing for swordfish in the Convention Area south of 20°S, and any swordfish catch is bycatch.

Table 1(f). Annual catch and effort of south Pacific albacore by the Korean longline fishery in the south of 20°S, 2014-2018

Year	Catch (mt)	Effort (number of fishing vessels)
2014	0	0
2015	<1	2
2016	0	0
2017	0	0
2018	0	0

\* Korea does not have any vessels fishing for south Pacific albacore in the Convention Area south of 20°S, and any south Pacific albacore catch is bycatch.




Fig. 1(a). Historical annual catch for the Korean purse seine fishery by primary species in the WCPFC Convention Area during 1980-2018.




Fig. 1(b). Historical annual catch for the Korean longline fishery by primary species in the WCPFC Convention Area during 1987-2018.




Fig. 2. Historical annual vessel numbers for the Korean tuna fisheries by gear in the WCPFC Convention Area during 1980-2018.

Table 2. Number of Korean vessels by gear and size, active in the WCPFC Convention Area, 2014-2018

Year	GRT class by gear									
	Longline					Purse seine				
	Total	0-50	51-200	201-500	500+	Total	0-500	501-1,000	1,001-1,500	1,500+
2014	110	0	1	112	0	28	0	10	13	5
2015	98	0	1	97	0	25	0	7	13	5
2016	96	0	1	95	0	25	0	7	14	4
2017	96	0	1	95	0	26	0	7	15	4
2018	97	0	1	96	0	27	0	6	15	6




Fig. 3(a). Annual catch and effort distributions of target species by the Korean purse seine fishery active in the WCPFC Convention Area, 2014-2018.




Fig. 3(b). Annual catch and effort distributions of target species by the Korean longline fishery active in the Pacific Ocean, 2014-2018.

Table 3(a). Annual estimated catch or encounter of species of special interest (seabird, turtle, marine mammals, etc.) by the Korean fisheries in the WCPFC Convention Area, 2014-2018

Fishery	Year	Number by species									
		Whale shark	Leather-back turtle	Olive ridley turtle	Logger-head turtle	Green turtle	Other marine turtles	False killer whale	Hump-back whale	Pygmy killer whale	Other whales
PS	2014	8	-	-	5	-	-	-	-	-	-
	2015	21	-	-	12	-	-	-	-	-	-
	2016	D:0, A:1	-	-	-	D:0, A:1	D:1, A:7	D:0, A:1 <sup>1)</sup>	-	-	-
	2017	D:0, A:11	-	D:0, A:1	D:0, A:1	-	D:1, A:1	D:0, A:3 <sup>2)</sup>	D:1, A:2 <sup>3)</sup>	D:0, A:1 <sup>4)</sup>	D:0, A:6 <sup>5)</sup>
	2018	D:0, A:9	-	-	-	D:0, A:1	D:0, A:10	-	-	D:0, A:7 <sup>6)</sup>	D:0, A:12 <sup>7)</sup>
LL	2014	-	-	-	-	-	-	-	-	-	-
	2015	-	34	9	-	-	5	-	-	-	-
	2016	-	D:0, A:1	D:27, A:5	-	D:9, A:1	D:3, A:1	-	-	-	-
	2017	-	-	-	-	-	D:0, A:3	-	-	-	-
	2018	-	D:1, A:0	-	-	-	-	-	-	-	-

\* D and A indicate “dead” and “alive”, respectively.

\*\* Date/Location: 1) '16.4.23 / 4°N 154°E, 2) '17.3.8 / 6°S 176°W, '17.3.15 / 8°S 176°E, 3) '17.3.21 / 8°S 166°E, '17.3.18 / 8°S 166°W, '17.3.21 / 8°S 166°W, 4) '17.11.16 / 9°S 155°E, 5) '17.7.17 / 0°S 154°E, '17.5.16 / 2°S 175°W, 6) '18.11.14 / 1°N175°E, '18.11.19 / 0°S179°E, '18.11.20 / 0°S179°E, '18.12.13 / 9°S155°E, '18.12.14 / 9°S155°E, '18.12.24 / 6°S152°E, 7) '18.1.4 / 0°N153°E, '18.1.20 / 5°S153°E, '18.3.10 / 9°S157°E, '18.4.29 / 2°N144°E, '18.5.18 / 0°S146°E, '18.5.29 / 2°N156°E, '18.6.2 / 5°N144°E, '18.12.17 / 8°S154°E, '18.12.23 / 7°S176°W.

Table 3(b). Effort, observed and estimated seabird captures by fishing year for Korean longline fishery in the north of 23°N and in the south of 30°S, 2014-2018

Year	Fishing effort				Observed seabird captures	
	Number of vessels	Number of hooks	Observed hooks	% hooks observed	Number	Rate
2014	0	0	0	0	0	0
2015	0	0	0	0	0	0
2016	0	0	0	0	0	0
2017	0	0	0	0	0	0
2018	0	0	0	0	0	0

\* No seabird was bycaught.



Table 4(a). Annual estimates of retained and discarded catch of key sharks by the Korean longline fishery in the WPCFC Convention Area, 2014-2018

Year	Retained catch (mt) by key shark species						
	Blue shark	Thresher sharks	Hammerhead sharks	Mako sharks	Silky shark	Oceanic whitetip shark	Others
2014	201	124	13	11	33	0	457
2015	85	55	3	4	0	0	220
2016	<1	1	0	<1	0	0	<1
2017	<1	1	0	0	0	0	<1
2018	<1	3	0	<1	0	0	<1

\* No shark catch retained by the Korean purse seine fishery.

Fishery	Year	Discard catch (number) by key shark species				
		Blue shark	Thresher sharks	Hammerhead sharks	Mako sharks	Others
Purse seine	2016	0	0	2	0	36
	2017	0	2	3	1	769
	2018	0	0	2	0	69
Longline	2016	1,000	423	8	39	2,556
	2017	2,826	1,050	1	13	4,323
	2018	3,121	1,839	6	263	3,695

\* These data include all of status of “dead” and “alive”.

\*\* See Table 4(b) for oceanic whitetip shark and silky shark.

Table 4(b). Annual number of releases of oceanic whitetip shark and silky shark by the Korean fishery in the WPCFC Convention Area, 2014-2018

Fishery	Year	Number of releases	
		Oceanic whitetip shark	Silky shark
Purse seine	2014	2	5.7*
	2015	-	13*
	2016	D: 7, A: 96	D: 977, A: 327
	2017	D: 6, A: 1	D: 1,683, A: 332
	2018	D: 8, A: 14	D: 1,704, A: 625
Longline	2014	173	58
	2015	356	942
	2016	D: 44, A: 65	D: 897, A: 1,095
	2017	D: 48, A: 137	D: 675, A: 615
	2018	D: 19, A: 12	D: 726, A: 43

\* indicates that the unit is weight (mt).

\*\* D and A indicate “dead” and “alive”, respectively.

Table 5. Estimated annual coverage of operational catch/effort and observer data for the Korean fisheries by gear, active in the WCPFC Convention Area, 2013-2017

Year	Gear	Logsheet coverage (%)	Observer coverage (%)
2014	Purse seine	100	100
	Longline	100	7.2
2015	Purse seine	100	100
	Longline	100	6.6
2016	Purse seine	100	100
	Longline	100	6.9
2017	Purse seine	100	100
	Longline	100	4.14
2018	Purse seine	100	100
	Longline	100	

\* 2017 observer coverage for Korean longline fishery

Fishery	No. of Hooks			Days Fished			Days at Sea			No. of Trips		
	Total Estimated	Observed	%	Total Estimated	Observed	%	Total Estimated	Observed	%	Total Estimated	Observed	%
Longline				20,876	908	4.35						

Table 6. Information on the transshipment of Korean fleets in 2018

A. Longliners

(1) Amount (kg) of transshipped fish

Species	Transshipment of catches caught in WCPFC area	Transshipment of catches caught outside of WCPFC area
Bigeye tuna	6,839,653	2,306,296
Yellowfin tuna	3,610,917	479,980
Striped marlin	31,100	18,387
Swordfish	333,482	239,803
Blue marlin	810,353	191,148
White marlin	211	0
Albacore tuna	669,344	168,862
Spearfish	1,112	1,362
Skipjack tuna	23,842	9,721
Sharks	0	0
Others	339,901	120,571
Total	12,659,915	3,536,130

Species	Location of transshipment : WCPFC area											
	In port transshipment				At sea transshipment in EEZ				At sea transshipment in high seas			
	G.G	Dress	Round	Other	G.G	Dress	Round	Other	G.G	Dress	Round	Other
Bigeye tuna	0	0	0	0	560,722	0	0	0	6,285,603	0	0	0
Yellowfin tuna	0	0	0	0	367,973	0	0	0	3,174,986	0	0	0
Striped marlin	0	0	0	0	1,431	0	0	0	26,113	3,929	0	0
Swordfish	0	0	0	0	0	17,235	0	0	1,810	315,848	0	0
Blue marlin	0	0	0	0	0	61,117	0	0	0	717,338	0	0
White marlin	0	0	0	0	0	0	0	0	0	211	0	0
Albacore tuna	0	0	0	0	0	125,340	0	0	11,584	0	517,021	0

Spearfish	0	0	0	0	0	0	0	0	0	1,277	0	0
Skipjack tuna	0	0	0	0	0	1,218	0	0	1,619	0	21,010	0
Sharks	0	0	0	0	0	0	0	0	0	0	0	0
Others	0	0	0	0	3,267	7,733	2,292	0	0	189,034	30,575	105,558
Total	0	0	0	0	933,393	212,643	2,292	0	9,501,715	1,227,637	568,606	105,558

Species	Location of transshipment : outside of WCPFC area							
	In port transshipment				At sea transshipment			
	G.G	Dress	Round	Other	G.G	Dress	Round	Other
Bigeye tuna	0	0	0	0	2,299,624	0	0	0
Yellowfin tuna	0	0	0	0	547,938	0	0	0
Striped marlin	0	0	0	0	15,789	2,225	0	0
Swordfish	0	0	0	0	1,235	237,157	0	0
Blue marlin	0	0	0	0	0	223,046	0	0
White marlin	0	0	0	0	0	0	0	0
Albacore tuna	0	0	0	0	3,807	0	180,454	0
Spearfish	0	0	0	0	0	579	618	0
Skipjack tuna	0	0	0	0	250	2,025	7,441	0
Sharks	0	0	0	0	0	0	0	0
Others	0	0	0	0	0	93,250	2,063	26,700
Total	0	0	0	0	2,868,643	558,282	190,576	26,700

(2) Number of transshipments

Number of transshipment by location of catches		Number of transshipment by location				
		WCPFC area			Outside of WCPFC area	
Catches in WCPFC area	Catches outside of WCPFC area	In port	EEZ	High seas	In port	At sea
80	36	0	0	90	0	26

## B. Purse seiners

### (1) Amount (kg) of transhipped fish

Species	Transhipment of catches caught in WCPFC area	Transhipment of catches caught outside of WCPFC area
Bigeye tuna	3,434,547	0
Yellowfin tuna	22,702,604	0
Skipjack tuna	169,784,318	0
Total	195,921,469	0

Species	Location of transhipment : WCPFC area											
	In port transhipment				At sea transhipment in EEZ				At sea transhipment in high seas			
	G.G	Dress	Round	Other	G.G	Dress	Round	Other	G.G	Dress	Round	Other
Bigeye tuna	60,000	3,000	3,371,547	0	0	0	0	0	0	0	0	0
Yellowfin tuna	1,732,000	248,500	20,722,104	0	0	0	0	0	0	0	0	0
Skipjack tuna	0	0	169,784,318	0	0	0	0	0	0	0	0	0
Total	1,792,000	251,500	193,877,969	0	0	0	0	0	0	0	0	0

Species	Location of transhipment : outside of WCPFC area							
	In port transhipment				At sea transhipment in EEZ			
	G.G	Dress	Round	Other	G.G	Dress	Round	Other
Bigeye tuna	-	-	-	-	-	-	-	-
Yellowfin tuna	-	-	-	-	-	-	-	-
Skipjack tuna	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-

### (2) Number of transshipments

Number of transhipment by location of catches		Number of transhipment by location				
		WCPFC area			Outside of WCPFC area	
Catches in WCPFC area	Catches outside of WCPFC area	In port	EEZ	High seas	In port	At sea
318	0	318	0	0	0	0



Albacore tuna	0	0	0	0	0	0	239,287	0
Spearfish	0	0	0	0	0	0	0	0
Skipjack tuna	0	0	0	0	0	0	5,768	0
Sharks	0	0	0	0	0	0	0	0
Others	0	0	0	0	0	88,367	4,313	10,016
Total	0	0	0	0	2,914,549	724,117	249,368	10,016

(2) Number of transshipment

Number of Transshipments by location of transshipments				
WCPFC area			Outside of WCPFC area	
In port	EEZ	High seas	In port	At sea
121	0	185	0	46

### **3. Background**

About 60 year-old Korean distant water tuna longline fishery that stepped up the first fishing in the Indian Ocean in 1957, has explored the Pacific Ocean since 1958 and the Atlantic Ocean since 1967. The high seas and the waters within coastal states in the South Pacific Ocean have been the main fishing grounds for Korean longline fishery. There was a change in the longline fishing operation types. Longline vessels used foreign ports for fishing base near the fishing grounds from the beginning but they have gradually equipped with deep freezing facilities and used home ports for fishing base since 1972. All longline vessels have based domestic ports since 1999. This change gave advantages in exporting the products to Japanese markets and others. In domestic markets, tuna sashimi demands have been increasing year by year.

The Korean purse seine fishery was initiated by accessing into the Eastern Pacific fishing ground with 3 vessels in 1971. Helicopter-aided mass operations were introduced in 1979 for the first time, and the number of active vessels was the highest of 39 in 1990, but has decreased to 25-27 in recent years. Most of the catches are supplied to the packers for domestic consumption, and are exported to foreign canneries.

These fisheries are managed by the Distant Water Fisheries Development Act put into effect on the 4 February, 2008, and the Act was revised for improving the data collection on 5 December, 2012 and the electronic reporting system has been implemented since 1 September, 2015.

### **4. Flag State Reporting**

#### **4.1. Annual catch and effort**

Annual catch and effort for Korean tuna fisheries by gear and primary species are shown in Table 1(a)-(f) and Fig. 1(a)-(b). The average of total catch in the WCPO by Korean tuna fisheries was 290,515 mt in recent 5 years (2014-2018). Total catch in 2018 was 292,345 mt, which accounted for 1% and 9% greater than that of average for 5 recent years and 2017, respectively.

The average catch of purse seine fishery was 266,249 mt during 5 recent years (2014-2018). The purse seine catch in 2018 was 267,558 mt with 27 vessels active, which was similar to the average for 5 recent years and 8% greater than in 2017. In purse seine fishery, skipjack, yellowfin and bigeye catches in 2018 were 233,729 mt, 29,480 mt and 4,339 mt, respectively. The catches of skipjack and bigeye were 21% and 34% greater, and the catch of yellowfin was 42% less than those of 2017, respectively. Purse seine fishing efforts ranged from 5,790 to 6,882 sets during 5 recent years, which showed the highest in 2014, and the lowest in 2016. The effort in 2018 was 6,866 sets.

The average catch of longline fishery was 24,266 mt during recent 5 years (2014-2018). The longline catch in 2018 was 24,788 mt with 97 vessels active, which was 2% and 15% greater than that of average for 5 recent years and 2017, respectively. Catches of bigeye and



yellowfin caught by longline in 2018, which are target species by the Korean tuna longline fishery, were 13,828 mt and 6,519 mt, respectively. Longline fishing efforts ranged from 47,157 to 58,201 thousand hooks, which showed the highest in 2018, and the lowest in 2015. The effort in 2018 was 58,201 thousand hooks.

Catches of north Pacific albacore, southwest striped marlin, south swordfish and south Pacific albacore are shown in Table 1(c)-(f).

#### **4.2. Fleet structure**

The number of vessels active by gear and size is presented in Fig. 2 and Table 2. The number of purse seine vessels, once peaked at 39 in 1990, reduced to 28 in 1996, and after that maintained around 25-28 to recent years. In 2018, the number of fishing vessels was 27, of which 6 vessels were of 501-1,000 class, 15 vessels of 1,001-1,500 class and 6 vessels of over 1,500 class. The number of longline vessels reduced from 220 in 1991 to 108 in 2008, and slightly increased and ranged from 111 to 126 thereafter. Since 2015 it has decreased up to less than 100. In 2018, the number of active fishing vessels was 97, of which 1 vessel was of 51-200 class and 96 vessels of 201-500 class.

#### **4.3. Fishing patterns**

The distributions of catch and effort of target species by gear are shown in Fig. 3(a)-(b). Korean tuna purse seine fishery has generally been operating throughout the year in the tropical area of the WCPO between 140°E-170°W and from time to time extended to the east subject to oceanographic conditions. Purse seine fishing efforts in 2014 were relatively concentrated on the central areas, while in 2015 moved eastward further and concentrated on the eastern areas. In 2016 and in 2017, they again moved to the western and central areas, and in 2018 were similar to previous years, but expanded further east and west. Longline fishery efforts were normally higher in both the central and eastern Pacific Ocean. The efforts from 2014 to 2017 relatively concentrated in the WCPO, but in 2018 were relatively higher in the EPO and in the north Pacific Ocean.

#### **4.4. Annual estimated catches of species of special interest**

The species of special interest (seabird, turtle, marine mammal, etc.) encountered or caught incidentally by Korean purse seine and longline fisheries are presented in Table 3. The data were compiled from logsheet recorded by captain onboard. In 2018, 9 individuals of whale shark, 11 marine turtle, and 19 whale were encircled by purse seine nets, and 1 marine turtle were bycaught by longline fishery, respectively. All these species were encircled by purse seine nets or bycaught incidentally by longline and were released promptly. Especially, when whales and whale shark were observed during fishing operation of purse seine, the vessels stopped rolling net until they had been released safely. All Korean fishing vessels operated the areas between 15°N and 15°S (Fig. 3), and there was no bycatch of seabird in 2018.

#### **4.5. Annual estimated catches of non-target, associated and dependent**

The shark species caught by longline fishery are presented in Table 4(a). These data were compiled from logsheet recorded by captain onboard. As key shark species, the catches in

2018 were <1 mt for blue shark, thresher sharks 3 mt, mako sharks <1 mt, and other sharks <1 mt, respectively. In accordance with CMM 2011-04 and 2013-08, the number of releases of oceanic whitetip shark and silky shark are presented in Table 4(b). All these bycaught were released promptly in a manner that results in as little harm to the shark as possible.

#### **4.6. Estimated annual coverage of catch and effort and observer data**

Estimated annual coverages of logsheet (catch and effort data) and observer data are shown in Table 5. The coverage of logsheet data has been 100% for both purse seine and longline since 2013. The observer coverage in 2018 was 100% for purse seine and 4.35% for longline.

### **5. Coastal State Reporting**

N/A

### **6. Onshore developments**

Korea consistently promotes investment plans on land facility in the coastal states where its distant waters fleets are operating.

### **7. Future Prospects of the fishery**

The fleet power of purse seine and longline is expected to keep the current level, and production seems to be affected by fisheries resources trend in the oceans, conservation and management measures of RFMOs and permission policy of the coastal states. Meanwhile recognizing that demand at international and domestic market is increasing on production caught from responsible and sustainable fishing activity, Korea strives to strengthen on MCS, scientific survey and education relating to bycatch for fishermen.

### **8. Status of tuna fishery data collection systems**

#### **8.1. Logsheet data collection and verification**

Catch statistics of Korean distant water fisheries are obtained from two sources of data reporting. The Korea Overseas Fisheries Association (KOFA) collects monthly catch by gear and species from the Korean tuna industries. The National Institute of Fisheries Science (NIFS) collects logsheet data from vessels filled out by captain onboard. In accordance with data reporting and submission requirement by the RFMOs, necessary improvements have been continuously made in data coverage, accuracy and verification through cross-checking between NIFS and KOFA. Since 1<sup>st</sup> September 2015, the Act on Fisheries Information and Data Reporting has obliged fishers of distant-water fisheries to report catch information to the

National Institute of Fisheries Science (NIFS) in real time through the Electronic Reporting (ER) system. The coverage of data reporting by ER is 100%. It includes data collection and reporting requirements recently adopted by the all tuna RFMOs regarding especially ecologically important species, discard/release and bycatch mitigation, etc.

### **8.2. Observer programme**

The scientific observer program of distant-water fisheries of Korea was started in 2002. The National Institute of Fisheries Science (NIFS) is responsible for implementing and developing the program. The basic requirement for observers is college graduated with the major field of nature science or fisheries high school graduated with at least 1-year experience on board and certificate of qualification to deck officer. Candidates for observer who have passed the paper review (including medical check) and oral interview have to take training programs for 3 weeks. Observer training programs include basic safety training for seafaring, operations of navigation devices, biological information training for target and non-target species and data collecting/reporting method for fishing activities. During the training program they have two kinds of test. First is the test for a technical term of fisheries and biology, and the other is the test for species identification. The person who scored 70% overall in the two tests and attended 100% of the course timetable can be qualified for a scientific observer and deployed on board. Korea has a total of 48 scientific observers at present.

### **8.3. Port sampling programme**

In Korea, there are 4 domestic landing ports for tunas caught in WCPO, which are Busan, Masan, Tonyeong and Mokpo, all located along the southern coast of Korea, nearby the landing port, there are 5 canneries owned by 4 companies in which about 100,000 tons of tunas from WCPO are landing.

The National Institute of Fisheries Science (NIFS) used to conduct biological sampling in the domestic cannery of Dongwon industry from 1997 to 2006. A preliminary study for species identification from the catch of purse seine was conducted in a cannery of Korea in 2011 and the result was provided to the WCPFC SC7 (ST-IP-09).

### **8.4. Unloading/Transshipment**

In accordance with Article 13 of the Distant Water Fisheries Development Act, all distant water fishermen shall comply with procedures and regulations established by Regional Fisheries Management Organizations. Therefore, all transshipments by Korean vessels fishing all high migratory fish stocks covered by the WCPFC Convention take place in accordance with WCPFC CMM 2009-06. Also, vessel operators are encouraged to assist the WCPFC ROP observers in having full access to both the unloading and the receiving vessels to verify that the transhipped quantities of fish are consistent with other information available to observers. After the completion of transshipment, the transshipment declaration is subject to verification against fishing vessel's monthly catch report, logsheets and observer reports (if available). The information on the transshipment of Korean fleets in 2018 is summarized in Table 6.

## **9. Research activities covering target and non-target species**

Korea carried out a sea trial to mitigate bycatch of seabird in the Korean tuna longline fisheries with BirdLife International for 4 years, 2013-2016, and conducted a project for developing FAD to the extent possible minimize the capture of small bigeye and yellowfin and to reduce the entanglement of bycatch for 4 years, 2016-2018.