



**SCIENTIFIC COMMITTEE
SIXTEENTH REGULAR SESSION**

ELECTRONIC MEETING
11-20 August 2020

**ANNUAL REPORT TO THE COMMISSION
PART 1: INFORMATION ON FISHERIES, RESEARCH, AND STATISTICS**

WCPFC-SC16-AR/CCM-23

CHINESE TAIPEI

National Report

Tuna Fisheries Status Report of Chinese Taipei in the Western and Central Pacific Region

Fisheries Agency, Council of Agriculture and
Overseas Fisheries Development Council

August*, 2020

This paper is prepared for the 16th online meeting of the WCPFC Scientific Committee, from 11 to 20 August, 2020. Document should not to be cited without permission of the authors.

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <i>Scientific data was provided to the Commission in accordance with the decision relating to the provision of scientific data to the Commission by 30 April 2020</i> | Yes |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

Summary

Three Taiwanese tuna fishing fleets are currently operating in the WCPFC Convention Area, namely large scale tuna longline fleet (LTLL, previous named FTLL), distant-water purse seine fleet (DWPS) and small scale tuna longline fleet (STLL, previous named CTLL). In 2019, the total catches of main tuna and tuna-like species for these three fleets were 15,356 MT for LTLL, 239,076 MT for DWPS and 37,668 MT for STLL, respectively. In 2019, 46 observers were deployed on our tuna longline fishing vessels operating in the Pacific Ocean.

1. Annual fisheries' information

The Pacific Ocean is the earliest fishing ground for Taiwanese tuna fisheries. Currently, there are three tuna fishing fleets operating in the WCPFC Convention Area: large scale tuna longliners (LTLL), distant-water purse seiners (DWPS) and small scale tuna longliners (STLL). All LTLL and DWPS vessels operate outside the EEZ of Taiwan; most of the STLL vessels operate in the EEZ of Taiwan with some operate on the high seas or in the PICS' EEZ through relevant agreements.

1.1 Fleet structure

Table 1 shows the numbers of active fishing vessel of LTLL, DWPS and STLL fleets in recent five years (2015-2019) in the WCPFC Convention Area.

1.1.1 LTLL

The LTLL vessels refer to those vessels larger than 100 GRT, and most of them operate in the high sea areas or in the EEZs of coastal countries under access agreements. The numbers of active fishing vessels of LTLL ranged between 75 and 82 with an average of 77 in the last 5 years. The number of active LTLL fishing vessels was 75 in 2019.

1.1.2 DWPS

Tuna purse seine fishery was introduced into Taiwan in 1982 and has become one of our major fishing fleet operating in WCPO. In 1992 the fleet reached its peak of 45 vessels, and reduced to 42 due to an adjustment of business strategy of some companies. The number of fleet further reduced to 34 authorized in 2004 which was maintained at this level ever since. There were 30 active purse seiners operating in the WCPFC Convention Area in 2019.

1.1.3 STLL

The STLL fleet operates both within and beyond the EEZ of Taiwan. Some STLL fishing vessels with freezing capacity extend their fishing grounds with similar operations as that of the LTLL fleet. In 2019, there were 723 STLL fishing vessels operating in the WCPFC Convention Area.

1.2 Annual Catch in the WCPFC Convention Area

1.2.1 LTLL

The catch of primary species caught by LTLL fishery over the last 5 years (2015-2019) in the WCPFC Convention Area is shown in Table 2. The distribution of species

composition of LTLL in recent 5 years (2015-2019) is shown in Figure 1. Composition ratio of primary species of our LTLL fishery in the WCPFC Convention area in recent 5 years is shown in Figure 2, and it observed that the dominant species of catch were albacore (36%), followed by bigeye tuna (27%) and yellowfin tuna (18%).

1.2.2 DWPS

The catch of primary species in the WCPFC Convention Area during 2015-2019 is shown in Table 3. Skipjack remained the most dominant species, accounting for about 81% of the total catch, followed by yellowfin tuna and bigeye tuna, which accounts for 16% and 2% of the total catch respectively (Figure 3). Composition ratio of primary species in recent 5 years (2015-2019) is shown in Figure 4.

1.2.3 STLL

The total catch of primary species caught by STLL fleet in 2019 was 37,668 MT with yellowfin tuna accounting 40% of the total catch. Other major catches were albacore (31%), billfish (13%) and bigeye tuna (10%). The total catch of primary species of STLL from 2015 to 2019 in WCPFC Convention Area is shown in Table 4. Composition ratio of species during 2015-2019 is shown in Figure 5.

1.3 Fishing Patterns

1.3.1 LTLL

The LTLL fleet can be divided into two subgroups in accordance with their targeting species, namely bigeye tuna targeting longline fleet operating mainly in tropical area (between 15°N and 15°S), and albacore targeting longline fleet operating in subtropical and temperate waters. The fleet targeting bigeye tuna usually conducts a year round operation with transshipping catch, refueling and receiving supplies at sea. Those fishing for albacore usually enter fishing ports in the Pacific Ocean twice a year for catch landing, refueling and supply receiving. The distribution of fishing effort in recent 5 years (2015-2019) is shown in Figure 6.

1.3.2 DWPS

The DWPS vessels mainly operate in the tropical waters close to the equator area targeting skipjack. Since most of the fishing grounds are located in the EEZs of PICs, these vessels acquire fishing permits through access agreements with PICs, including PNG, FSM, Nauru, Marshall Islands, Solomon Islands, Tuvalu and Kiribati.

In early 1980s, logs were used as fish aggregation objects and sets were made on schools associated with these floating objects. This practice continued throughout the 80s and early 90s. Successful exploitation on free-swimming schools in mid 1990s has made free school setting becoming the most prevailing fishing method and it observed that there were 74.8% sets were deployed on free school in 2019. The distribution of fishing effort in recent 5 years (2015-2019) is shown in Figure 7. In the years where El Niño phenomena occur (e.g., 2015), the fish tends to move more eastwards and the fishing activities follow the pattern of this movement. In contrary, in years of La Niña, fish schools tend to concentrate more in the western part of the Pacific, and the fishing activities move likewise.

1.3.3 STLL

Most of STLL based at domestic or foreign ports mainly target YFT for fresh tuna sashimi markets, while some target billfish or albacore. Flake ice is commonly used as coolant on the STLL vessels, while some equip with freezer to store catch in frozen form. The distribution of fishing effort in recent 5 years (2015-2019) is shown in Figure 8.

1.4 Estimated total catches of non-target, associated and dependent species

Annual catches of key shark species of LTLL, STLL and DWPS in 2019 is shown in Table 5.

In 2018, our observers had recorded 164 sea turtles (3 Leatherback turtles, 135 Olive ridley turtles, 1 Kemp's ridley turtle, 3 Loggerhead turtles, 17 Green turtles and 5 Unidentified Turtle), 14 seabirds (6 Laysan albatross, 3 Black-footed albatross and 5 Salvin'S Albatross) and 1 cetacean (Toothed Whales Nei) hooked with sightings of 13,859 seabirds, 2 sea turtles and 95 cetaceans. In 2019, our observers had recorded 69 sea turtles (1 Leatherback turtle, 42 Olive ridley turtles, 5 Hawksbill turtle, 2 Loggerhead turtles, 13 Green turtles and 6 unidentified turtles), 21 seabirds (3 Buller' S Albatross, 1 Grey Headed Albatross, 2 Black-Browed Albatross, 4 Wandering Albatross, 1 Laysan Albatross, 1 Black-footed Albatross, 2 Antipodean Albatross, 1 Westland Petrel, 1 Wedge-Tailed Shearwater, 1 White-chinned Petrel, 1 Parasitic Jaeger, 2 Campbell Albatross and 1 Shy Albatross) and 2 cetacean (1 Risso'S Dolphin and 1 False-killer Whale) hooked with sightings of 3,057 seabirds and 56 cetaceans. Because some observation trips of 2019 extended to 2020, the observer data of 2019 is still in preliminary for data not being retrieved completely. As for the information on cetaceans and whale sharks encircled by our purse seiners is related in section 3.7 of this report.

1.5 Trends in the fishery and future prospects of the fishery

In view of conservation of tuna species, it is the policy of the government to maintain the size of its fleets to a level that is commensurate with the availability of fishing possibilities. The government will continue implementing the policy of limited entry in tuna fisheries.

2. Research and statistic

2.1 Summary of observer programs

The number of observers deployed on LTLL, STLL and DWPS fleets in Pacific Ocean during 2015-2019 is shown in Table 6. In accordance with the government's policy in establishing an observer program and supporting the increase of observers, in 2012 the observer program was extended to the STLL fleets. Total number of observers deployed on longline vessels in 2019 was 46, including 14 observers for LTLL vessels and 32 observers for STLL vessels respectively.

Our observer program had received interim authorization in 2009 and received full authorization after auditing in November 2011 and October 2017, respectively. The forms used in our observer program are fully conformed to the standards set by WCPFC which include the fishing activities, catch number and weight, species identification, bycatch species and status. In addition, length frequency of major species and the sighting and incidental catch of ecological species were recorded, and biological samplings were collected for biological research.

2.2 Research activities

For the purpose of improving stock assessment of highly migratory species in the Pacific Ocean, government of Taiwan has commissioned scientists to conduct a series of researches in recent years as follows :

- Study on abundance index and HS/MS elements for WCPO skipjack and tropical tunas.
- Studies on abundance index and stock assessment of bluefin tuna in the Pacific Ocean.
- A study on the elements of the harvest strategy/management strategy

developments of the South Pacific albacore tuna and the biology and stock assessment of Pacific blue marlin.

- Study on the North Pacific albacore resource.
- Stock status and NDF assessment of sharks in the Pacific Ocean.

The scientific papers presented at recent Pacific Ocean RFMOs meetings during 2019 to 2020 were as follows:

- Catch and size data of striped marlin (*Kajikia audax*) by the Taiwanese fisheries in the western and central North Pacific Ocean during 1958-2017. (ISC/19/BILLWG-1/03)
- Catch rate standardization of striped marlin in the Western and Central North Pacific Ocean by the Taiwanese tuna longline fisheries during 1995-2017. (ISC/19/BILLWG-1/08)
- CPUE standardizations of Taiwanese PBF fisheries with/without geostatistical consideration. (ISC/19/PBFWG-1/02)
- Standardized index of relative abundance of Taiwanese PBF fisheries based on traditional and spatiotemporal delta-generalized linear mixed models. (ISC/19/PBFWG-2/11)
- Blue marlin (*Makaira nigricans*) catch and size data of Taiwanese fisheries in the Pacific Ocean. (ISC/20/BILLWG-01/08)
- Movement patterns and habitat preferences of five species of billfish in northwestern Pacific Ocean. (ISC/20/BILLWG-01/09)
- Considering age uncertainty and two stanzas of growth for the Pacific blue marlin (*Makaira nigricans*). (ISC/20/BILLWG-01/11)
- Abundance index of Taiwanese PBF fisheries based on traditional and spatiotemporal delta-generalized linear mixed models. (ISC/20/PBFWG-1/03)

The scientific papers published on scientific journal during 2018 to 2019 were as follows:

- Chang, Y.J., Hsu, J., Shiao, J.C., & Chang, S.K. (2019) Evaluation of the effects of otolith sampling strategies and ageing error on estimation of the age composition and growth curve for Pacific bluefin tuna *Thunnus orientalis*. *Marine and Freshwater Research*.
- Tsai, W. P., Y. J. Chang, and K. M. Liu. (2019) Development and testing of a Bayesian population model for the bigeye thresher shark, *Alopias superciliosus*, in an area subset of the western North Pacific. *Fisheries Management and Ecology* 00:1-26. doi: 10.1111/fme.12347.
- Lee, M.A. J. S. Weng, K. W. Lan, A. H. Vayghan, Y. C. Wang and J.W. Chan (2019). Empirical habitat suitability model for immature albacore tuna in the North Pacific Ocean obtained using multisatellite remote sensing data. *International Journal of Remote Sensing*.
- Lin, S.J, M.K. Musyl, S. P. Wang, N. J. Su, W. C. Chiang*, C. P. Lu, K. Tone, C. Y. Wu, A. Sakaki, I. Nakamura, K. Komeyama, R. Kawabe. (2019). Movement behaviour of released wild and farm-raised dolphinfish *Coryphaena hippurus* tracked by pop-up satellite archival tags. *Fisheries Science*, 85:779–790.
- Chang, S. K., T. L. Yuan, S. P. Wang, Y. J. Chang, G. DiNardo (2019). Deriving a statistically reliable abundance index from landings data: an application to the Taiwanese coastal dolphinfish fishery with a multispecies feature. *Transactions of the American Fisheries Society*. 148: 106-122.

- Chien H. W., X. Y. Chen, W. P. Tsai and M. S. Lee. (2020) Inhibition of biofilm formation by rough shark skin-patterned surfaces. *Colloids and Surfaces B: Biointerfaces* (Accepted).
- Su, S. H., S. Y. V. Liu, K. M. Liu, and W. P. Tsai. (2020) Development and characterization of novel microsatellite loci for an endangered hammerhead shark *Sphyrna lewini* by using shotgun sequencing. *Taiwania* (Accepted).

2.3 Statistics data collection system

To collect fishery data complete and in a real time manner, Taiwan implemented electronic logbook reporting on LTLL and DWPS fleets in 2014, and on STLL fleet in 2015, and now all fishing vessels operating outside the EEZ of Taiwan are required to report their fishing data via e-logbook daily.

The operator or the captain of any fishing vessel intending to land or transship has been mandatory to fill in the Landing/Transshipment Notice and submit it to the competent authority for approval. Moreover, after the completion of landing or transshipment, the operator or the captain are mandatory to submit the Landing/Transshipment Declaration to the competent authority so that the competent authority could verify the catches with e-logbook data and other relevant data, so as to ensure the catches are legal and traceable.

2.4 Data coverage of catches, effort and size data for all species

2.4.1 Longline fisheries

All tuna longliners have been reporting their fishery data through e-logbook, and the catch and effort data is compiled from e-logbook data. The size data, length and weight of individual catch, of all species is also compiled from the first 30 fish caught for each setting recorded on e-logbook. A port-sampling program conducted in domestic ports aims at collecting the size data of tuna and tuna-like species. The observer program has been collecting size data for all species. These data have already been used in scientific purposes and reported to WCPFC.

2.4.2 DWPS fishery

The iFIMS e-logbook data is compiled into catch and effort data of our purse seine fleet. The sizing data of Thai canneries has been collected for estimating the catch composition of skipjack, bigeye tuna and yellowfin tuna. Length data was collected from fishing vessels' reporting.

3. Implementation of Conservation and Management Measure

3.1 CMM 2019-03 (replace the CMM 2005-03)

In accordance with CMM 2019-03, all CCMs shall report annually to the WCPFC Commission all catches of albacore north of the equator and all fishing effort north of the equator in fisheries directed at albacore. In 2019, the total catch of north Pacific albacore made by our fishing fleets was 5,454 MT with 4,779 MT in the north Convention area. There were 25 LTLL vessels directed at north Pacific albacore with 2,338 fishing days in the North Pacific Ocean, and with 1,777 days deployed in the north Convention area. The annual fishing efforts of LTLL vessels directed at North Pacific albacore for 2015-2019 was provided through Annual Report Part 2.

3.2 CMM 2006-04

In accordance with CMM 2006-04, CCMs shall report annually to the Commission the catch levels of their fishing vessels that have taken striped marlin as a bycatch as well as the number and catch levels of vessels fishing for striped marlin in

the Convention Area south of 15°S. The bycatch of striped marlin in the Convention area south of 15°S during the period 2015-2019 is shown in Table 7. None of our fishing vessel targets on striped marlin.

3.3 CMM 2007-01

In order to estimate observer coverage rates on longline vessels fishing according CMM 2007-01 and in accordance with the decision of WCPFC11, Table 8 provides the information of observer coverage rate estimates for LTLL and STLL of 2019.

3.4 CMM 2009-03

In accordance with CMM 2009-03, the number of the fishing vessels for swordfish in the Convention Area south of 20°S was limited to the number in any year during 2000-2005, and the catch of swordfish caught in the Convention Area south of 20°S is limited to the amount caught in any year during the period 2000-2006. The information mentioned above is shown in Table 9 and updated to 2019.

3.5 CMM 2009-06

In accordance with CMM 2009-06, CCMs shall report on all transshipment activities (including transshipment activities that occur in ports or EEZs) in Part 1 of its Annual Report. Table 10 shows the information of transshipment activities of our fishing fleets in 2019.

3.6 CMM 2010-07

In accordance with CMM 2010-07, each CCM shall include key shark species, as identified by the Scientific Committee, in their annual reporting to the Commission of annual catch and fishing effort statistics by gear type, including available historical data, in accordance with the WCPF Convention and agreed reporting procedures. The total catches of key shark species by fishery in 2019 shows in Table 5.

3.7 CMM 2011-03 and CMM 2012-04

In accordance with CMM 2011-03 and CMM 2012-04, CCMs shall advise in their Part 1 Annual Report of any instances in which cetaceans and whale sharks have been encircled by the purse seine nets of their flagged vessels, respectively. Table 11 shows detailed information on cetaceans and whale shark encircled during operation reported in 2019 by fishing masters of our purse seine fleet.

3.8 CMM 2011-04

In accordance with CMM 2011-04, each CCM shall estimate, through data collected from observer programs and other means, the number of releases of oceanic whitetip shark, including the status upon release (dead or alive), and report this information to the WCPFC in Part 1 of their Annual Reports. In 2019, our observers recorded 35 dead, 48 alive and 53 unknown status of released oceanic whitetip shark in the WCPFC Convention Area, and we used this information to estimate the number of released oceanic whitetip shark taken by our longline fleets which was 2,286 (235 dead, 605 alive and 1,446 unknown) for LTLL and 2,139 (881 dead, 944 alive and 314 unknown) for STLL. The discard information of oceanic whitetip shark of DWPS is related in Table 5.

3.9 CMM 2013-08

In accordance with CMM 2013-08, CCMs shall estimate, through data collected

from observer programs and other means, the number of releases of silky shark caught in the Convention Area, including the status upon release (dead or alive), and report this information to the WCPFC in Part 1 of their Annual Reports. In 2019, there were 107 dead, 517 alive and 531 status unknown of released silky shark recorded in our observer data in the WCPFC Convention Area, and the silky shark bycatch estimate of LTLL and STLL fisheries were 1,445 (1,244 dead and 201 alive) and 31,154 (1,961 dead, 14,316 alive and 14,877 unknown), respectively, which were raised on the catch rate calculated from observer data. Discard of silky shark of DWPS is related in Table 5.

3.10 CMM 2015-02

In accordance with CMM 2015-02, CCMs shall report annually to the Commission the annual catch levels taken by each of their fishing vessels that has taken South Pacific albacore, as well as the number of vessels actively fishing for South Pacific albacore, in the Convention area south of 20°S. Catch by vessel shall be reported according to the following species groups: albacore tuna, bigeye tuna, yellowfin tuna, swordfish, other billfish, and sharks. The information required for this measure has been provided through Annual Report Part 2.

3.11 CMM 2018-03

In accordance with CMM 2018-03, CCMs shall annually provide to the Commission, in Part 1 of their annual reports, all available information on interactions with seabirds reported or collected by observers to enable the estimation of seabird mortality in all fisheries to which the Convention applies. All Taiwanese longliners operating in the area south of 30°S are required to deploy at least two of the following seabird mitigation measures, namely tori lines, weighted branch lines and night setting with minimum deck lighting. For Taiwanese longliners larger than 24m operating in the Convention area north of 23°N are required to employ tori lines and one of the following seabird mitigation measures, namely tori lines, weighted branch lines night setting with minimum deck lighting, line shooter or management of offal discharge. In addition, all Taiwanese longliners operating in the area between 25°S to 30°S are required to deploy a tori line as seabird mitigation measure since January 1, 2020. Furthermore, fishing vessels are required to carry de-hookers and line cutters on board for the purpose of releasing seabirds alive. The information regarding interactions with seabirds are shown in Tables 12-21.

Table 1. The number of active fishing vessel by fishery in the WCPFC Convention Area during 2015-2019.

| Year | LTL | DWPS | STLL |
|------|-----|------|-------|
| 2015 | 76 | 34 | 1,306 |
| 2016 | 79 | 34 | 1,303 |
| 2017 | 82 | 28 | 1,079 |
| 2018 | 75 | 27 | 843 |
| 2019 | 75 | 30 | 723 |

Table 2. The catch (in MT, round weight) of major tuna and tuna-like species of LTL fishery in the WCPFC Convention Area during 2015-2019.

| Year | N-ALB | S-ALB | BET | YFT | SWO | MLS | BUM | BLM | SKJ | TOTAL |
|-------|-------|-------|-------|-------|-------|-----|-------|-----|-----|--------|
| 2015 | 2,251 | 3,275 | 5,331 | 2,848 | 1,781 | 243 | 1,670 | 8 | 162 | 17,569 |
| 2016 | 1,697 | 5,834 | 4,707 | 4,230 | 1,904 | 260 | 1,456 | 5 | 165 | 20,258 |
| 2017 | 1,520 | 6,313 | 4,440 | 3,809 | 2,015 | 224 | 915 | 11 | 303 | 19,550 |
| 2018 | 1,326 | 4,143 | 4,371 | 2,213 | 1,798 | 164 | 634 | 43 | 91 | 14,783 |
| 2019* | 1,074 | 4,082 | 4,961 | 2,826 | 1,554 | 169 | 556 | 3 | 131 | 15,356 |

* Preliminary estimate

Table 3. The catch (in MT, round weight) of major tuna species of DWPS fishery in the WCPFC Convention Area during 2015-2019.

| Year | SKJ | YFT | BET | Total |
|-------|---------|--------|-------|---------|
| 2015 | 160,597 | 28,593 | 5,059 | 194,249 |
| 2016 | 146,204 | 34,494 | 4,994 | 185,693 |
| 2017 | 126,960 | 35,345 | 4,934 | 167,239 |
| 2018 | 160,599 | 28,427 | 4,656 | 193,682 |
| 2019* | 201,371 | 33,761 | 3,584 | 239,076 |

* Preliminary estimate

Table 4. The catch (in MT, round weight) of major tuna and tuna-like species of the STLL fishery in WCPFC Convention Area during 2015-2019.

| Year | ALB | BET | YFT | PBF | SWO | BILL** |
|-------|--------|-------|--------|-----|-------|--------|
| 2015 | 5,673 | 4,103 | 11,270 | 552 | 2,574 | 5,739 |
| 2016 | 7,998 | 4,781 | 13,586 | 454 | 1,581 | 4,904 |
| 2017 | 10,711 | 5,232 | 19,147 | 415 | 1,778 | 5,472 |
| 2018 | 9,989 | 4,698 | 13,837 | 381 | 1,654 | 4,813 |
| 2019* | 11,581 | 3,887 | 14,898 | 491 | 1,774 | 5,037 |

* Preliminary estimate

** BILL: striped marlin, blue marlin, black marlin, and other billfish

Table 5. The catches (in MT, round weight) of key shark species* of LTLL, STLL and DWPS fisheries in the WCPFC Convention Area in 2018 (preliminary estimate).

| | BSH | FAL | MAK | | OCS | PTH | BTH | ALV | SPZ | SPL | SPK | EUB | POR | SHK | RMB | RMV |
|--------|-------|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|
| | | | SMA | LMA | | | | | | | | | | | | |
| LTLL | 5260 | 0 | 511 | 5 | 0 | 1 | 19 | 0 | 5 | 1 | 0 | 0 | 0 | 7 | 0 | 0 |
| STLL | 15602 | 0 | 1164 | | 0 | 269 | 310 | 1 | 87 | 240 | 0 | 1 | 0 | 2746 | 0 | 0 |
| DWPS** | 0 | 366 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 317 | 3 | 22 |

* Our domestic law had ban all fisheries from catching whale sharks since 2008. Therefore, the table excludes whale shark.

** Discards

Table 6. The number of observers deployed on LTLL, STLL and DWPS fisheries in the Pacific Ocean during 2015-2019.

| | LTLL | STLL | DWPS* |
|------|------|------|-------|
| 2015 | 12 | 20 | - |
| 2016 | 10 | 18 | - |
| 2017 | 18 | 51 | - |
| 2018 | 11 | 63 | - |
| 2019 | 14 | 32 | - |

* In accordance with CMM 2008-01, all our DWPS fishing vessels have to be deployed PIC observer on board and the observer coverage reaches 100%.

Table 7. The catch of striped marlin of tuna longline fisheries in the area of south of 15°S during 2015-2019.

| Year | Catch (MT) |
|-------|------------|
| 2015 | 97 |
| 2016 | 116 |
| 2017 | 142 |
| 2018 | 154 |
| 2019* | 207 |

* Preliminary estimate

Table 8. The estimate of observer coverage rate for Taiwanese longline fisheries in 2019.

| CCM Fleet | Fishery | No. of Hooks | | | Days Fished | | | Days at Sea | | | No. of Trips | | | See NOTEs |
|----------------|---------|-----------------|----------|---|-----------------|----------|---|-----------------|----------|--------|-----------------|----------|---|--------------|
| | | Total estimated | Observer | % | Total estimated | Observer | % | Total estimated | Observer | % | Total estimated | Observer | % | |
| Chinese Taipei | LTL | | | | | | | 20,252 | 3,031 | 14.96% | | | | |
| | STL | | | | | | | 96,706 | 6,731 | 6.96% | | | | |

Table 9. The catch of swordfish and the number of the tuna longline fishing vessels operating in the area of south of 20°S during 2000-2019.

| Year | Catch (MT) | Number of fishing vessel | |
|-------|------------|--------------------------|---------|
| | | Seasonal Target | Bycatch |
| 2000 | 54 | 10 | 58 |
| 2001 | 208 | 10 | 58 |
| 2002 | 233 | 10 | 59 |
| 2003 | 248 | 12 | 72 |
| 2004 | 466 | 8 | 56 |
| 2005 | 202 | 6 | 59 |
| 2006 | 198 | 4 | 53 |
| 2007 | 217 | 3 | 46 |
| 2008 | 61 | 0 | 53 |
| 2009 | 133 | 7 | 46 |
| 2010 | 105 | 4 | 40 |
| 2011 | 98 | 3 | 66 |
| 2012 | 119 | 0 | 57 |
| 2013 | 140 | 0 | 62 |
| 2014 | 105 | 0 | 52 |
| 2015 | 116 | 0 | 45 |
| 2016 | 124 | 0 | 44 |
| 2017 | 231 | 0 | 56 |
| 2018 | 307 | 0 | 67 |
| 2019* | 249 | 0 | 56 |

* Preliminary estimate

Table 10. The summary of transshipment operations by fishery of 2019: (1) the total quantities, by weight(M.T.); (2) the number of transshipments.

(1)

| Offloaded and received | Transhipped in port, transhipped at sea in areas of national jurisdiction, and transhipped beyond areas of national jurisdiction | Transhipped inside the Convention Area and transhipped outside the Convention Area | Caught inside the Convention Area and caught outside the Convention Area | Product Form | Fishing gear | Species | | | | | | | | |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------|--------------|--------------|---------|-------|--------|---------|-----|-----|-----|-----|-------|
| | | | | | | BET | ALB | YFT | SKJ | SWO | BUM | MLS | SKX | OTH |
| offloaded | beyond EEZs | inside | inside | Frozen | Longliner | 2,242 | 4,546 | 4,571 | 125 | 181 | 735 | 87 | 551 | 1,844 |
| offloaded | beyond EEZs | inside | both | Frozen | Longliner | 3,680 | 2,910 | 1,565 | 19 | 930 | 400 | 85 | 616 | 770 |
| offloaded | beyond EEZs | inside | outside | Frozen | Longliner | 1 | 93 | 0 | 1 | 2 | 2 | 0 | 1 | 2 |
| offloaded | beyond EEZs | outside | inside | Frozen | Longliner | 0 | 2 | 0 | 0 | 0 | 14 | 0 | 16 | 8 |
| offloaded | beyond EEZs | outside | both | Frozen | Longliner | 775 | 453 | 175 | 0 | 144 | 93 | 19 | 132 | 329 |
| offloaded | in port | inside | inside | Frozen | Purse seiner | 2,242 | 1 | 26,179 | 187,892 | 0 | 0 | 0 | 0 | 0 |
| offloaded | in port | inside | inside | Frozen | Longliner | 468 | 94 | 2,363 | 3 | 41 | 201 | 3 | 72 | 358 |
| offloaded | in port | inside | both | Frozen | Longliner | 2 | 3 | 14 | 0 | 1 | 6 | 0 | 0 | 7 |
| offloaded | in port | inside | outside | Frozen | Longliner | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| received | beyond EEZs | inside | inside | Frozen | Longliner | 833 | 2,030 | 3,052 | 75 | 78 | 567 | 31 | 365 | 1,163 |
| received | beyond EEZs | inside | both | Frozen | Longliner | 257 | 612 | 418 | 3 | 77 | 254 | 14 | 258 | 340 |
| received | beyond EEZs | inside | outside | Frozen | Longliner | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| received | beyond EEZs | outside | inside | Frozen | Longliner | 0 | 2 | 0 | 0 | 0 | 14 | 0 | 16 | 8 |
| received | beyond EEZs | outside | both | Frozen | Longliner | 1 | 32 | 1 | 0 | 19 | 70 | 5 | 114 | 177 |
| received | in port | inside | inside | Frozen | Longliner | 318 | 91 | 1,805 | 3 | 39 | 194 | 3 | 72 | 350 |
| received | in port | inside | both | Frozen | Longliner | 2 | 3 | 14 | 0 | 1 | 6 | 0 | 0 | 7 |
| received | in port | inside | outside | Frozen | Longliner | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

(2)

| Offloaded and received | Transhipped in port, transhipped at sea in areas of national jurisdiction, and transhipped beyond areas of national jurisdiction | Transhipped inside the Convention Area and transhipped outside the Convention Area | Caught inside the Convention Area and caught outside the Convention Area | Fishing gear | Number of Transshipments |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------|---------------------------------|
| offloaded | beyond EEZs | inside | inside | Longliner | 608 |
| offloaded | beyond EEZs | inside | both | Longliner | 220 |
| offloaded | beyond EEZs | inside | outside | Longliner | 3 |
| offloaded | beyond EEZs | outside | inside | Longliner | 1 |
| offloaded | beyond EEZs | outside | both | Longliner | 41 |
| offloaded | in port | inside | inside | Purse seiner | 307 |
| offloaded | in port | inside | inside | Longliner | 139 |
| offloaded | in port | inside | both | Longliner | 3 |
| offloaded | in port | inside | outside | Longliner | 0 |
| received | beyond EEZs | inside | inside | Longliner | 418 |
| received | beyond EEZs | inside | both | Longliner | 82 |
| received | beyond EEZs | inside | outside | Longliner | 0 |
| received | beyond EEZs | outside | inside | Longliner | 1 |
| received | beyond EEZs | outside | both | Longliner | 10 |
| received | in port | inside | inside | Longliner | 114 |
| received | in port | inside | both | Longliner | 3 |
| received | in port | inside | outside | Longliner | 0 |

Table 11. The summary on cetaceans/whale sharks encircled incidentally in purse seine fishing operation in 2019.

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|---------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-01-08 | E144°16' | N00°00' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-01-08 | E144°15' | N00°01' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-01-10 | E143°02' | N00°04' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-01-11 | E143°18' | N00°12' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-11 | E143°09' | N00°15' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-12 | E143°39' | N00°48' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-01-16 | E146°57' | N00°59' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-22 | E148°33' | N00°33' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-22 | E153°23' | S00°39' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-22 | E148°14' | N00°36' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-22 | E148°12' | N00°38' | Whale shark | 2 | not deliberately encircled | stop operating | Alive |
| 2019-01-22 | E152°42' | N00°40' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-24 | E148°01' | N00°33' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-01-25 | E152°24' | S00°00' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-29 | E148°59' | N00°20' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-30 | E151°35' | S00°24' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-01-30 | E152°18' | N00°14' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-02-04 | E149°29' | S00°12' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-02-04 | E155°04' | S01°23' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-02-06 | E168°13' | S02°10' | Melon-headed whale | 7 | not deliberately encircled | stop hauling | 4Alive,3Dead |
| 2019-02-09 | E166°47' | S02°12' | Melon-headed whale | 4 | not deliberately encircled | stop hauling | 2Alive,2Dead |
| 2019-02-10 | E164°46' | S02°35' | Aquatic mammals nei | 7 | not deliberately encircled | stop operating | Alive |
| 2019-02-15 | E150°06' | S00°42' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-02-16 | E149°57' | S00°18' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-02-16 | E149°42' | S00°05' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|--------------------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-02-18 | E150°03' | S00°35' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-02-21 | W164°25' | S02°37' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-01 | W166°22' | S01°43' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-03-02 | E152°00' | S01°10' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-03-03 | E143°11' | N00°23' | Bryde's whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-03-04 | E165°36' | S00°42' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-03-15 | E159°32' | S06°07' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-17 | E159°47' | S06°22' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-18 | E159°40' | S06°34' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-19 | W164°56' | N00°37' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-21 | W165°25' | S00°35' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-22 | W165°23' | S00°33' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-03-23 | E152°29' | S01°01' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-04-04 | E178°34' | S04°59' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-04-06 | E178°16' | S04°46' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-04-07 | E171°05' | S01°53' | Indo-Pacif. bottlenose dolphin | 8 | not deliberately encircled | stop operating | Alive |
| 2019-04-08 | E171°14' | S01°58' | False killer whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-04-11 | E146°50' | S00°28' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-04-12 | E147°54' | S01°01' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-04-14 | E147°13' | S00°53' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-04-16 | E147°06' | S01°02' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-04-18 | E177°27' | S00°55' | False killer whale | 5 | not deliberately encircled | stop hauling | Alive |
| 2019-04-29 | E173°28' | S05°11' | False killer whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-04-29 | E167°12' | S02°22' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-04-30 | E173°30' | S02°30' | False killer whale | 1 | not deliberately encircled | stop operating | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|--------------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-05-02 | E175°17' | N00°56' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-05-02 | E175°50' | N00°10' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-05-03 | E176°32' | N00°11' | Sei whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-05-04 | E172°33' | S02°48' | False killer whale | 11 | not deliberately encircled | stop hauling | Alive |
| 2019-05-08 | E171°54' | N00°55' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-05-11 | E169°31' | S02°09' | False killer whale | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-05-11 | E141°46' | N09°43' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-05-12 | E169°00' | N00°02' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-05-15 | E141°59' | N09°09' | Sei whale | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-05-16 | E142°12' | N09°07' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-05-22 | E147°20' | N00°19' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-05-26 | E167°53' | S01°33' | Dolphins nei | 12 | not deliberately encircled | stop operating | 2Alive,10Dead |
| 2019-05-28 | E176°45' | N02°01' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-06-10 | E171°05' | S01°16' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-06-11 | E168°28' | S02°50' | Dolphins nei | 4 | not deliberately encircled | stop hauling | Alive |
| 2019-06-13 | E168°40' | S02°56' | Spinner dolphin | 3 | not deliberately encircled | stop hauling | Alive |
| 2019-06-13 | E152°37' | S00°01' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-06-15 | E149°45' | N00°24' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-06-16 | E167°57' | S02°52' | Dolphins nei | 5 | not deliberately encircled | stop operating | 4Alive,1Dead |
| 2019-06-16 | E176°42' | N00°55' | False killer whale | 4 | not deliberately encircled | stop operating | Alive |
| 2019-06-18 | E153°08' | N00°58' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-06-18 | E153°26' | N00°43' | Sei whale | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-06-19 | E152°41' | N00°35' | Sei whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-06-21 | E166°20' | S02°54' | False killer whale | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-06-22 | E172°04' | S01°56' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-06-25 | E171°40' | S02°52' | Short-finned pilot whale | 1 | not deliberately encircled | stop hauling | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|--------------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-06-27 | E170°55' | S01°35' | Bryde's whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-06-27 | E172°09' | S00°23' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-06-30 | E166°51' | S02°47' | Baleen whales nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-01 | E167°06' | S03°45' | Bryde's whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-01 | E170°23' | N02°04' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-07-02 | E168°43' | S02°20' | Short-finned pilot whale | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-07-03 | E170°25' | S00°49' | False killer whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-03 | E165°45' | S03°00' | Pygmy killer whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-04 | E168°15' | S02°13' | Bryde's whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-06 | E168°37' | S02°17' | Melon-headed whale | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-06 | E171°13' | S00°35' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-06 | E171°05' | S00°37' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-09 | E171°05' | S00°48' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-10 | E168°30' | S02°25' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-12 | E168°22' | S02°35' | Whale shark | 2 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-13 | E168°25' | S02°38' | Whale shark | 3 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-18 | W169°01' | S02°04' | Whale shark | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-07-20 | E154°02' | S01°25' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-20 | E178°36' | S02°25' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-07-21 | W168°29' | S01°48' | Bottlenose dolphin | 6 | not deliberately encircled | stop hauling | Alive |
| 2019-07-21 | E178°56' | S02°45' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-07-21 | W168°33' | S02°01' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-21 | W168°36' | S02°01' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-22 | W168°31' | S01°49' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-24 | E154°01' | S00°57' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-27 | E166°30' | N01°16' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|---------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-07-28 | E147°42' | S00°03' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-07-28 | E147°47' | N00°05' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-29 | E146°39' | S00°15' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-07-29 | E166°35' | S00°37' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-05 | E162°11' | N02°41' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-08-06 | E157°00' | N01°02' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-08-09 | E164°23' | N00°34' | Sei whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-10 | E164°29' | S00°45' | False killer whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-10 | E164°35' | N00°54' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-08-11 | E164°23' | N00°41' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-08-13 | E157°20' | N02°07' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-14 | E164°51' | N00°51' | Aquatic mammals nei | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-08-15 | E164°27' | N01°26' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-15 | E168°53' | N01°33' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-20 | E157°27' | N03°32' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-21 | E165°38' | N02°28' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-08-23 | E160°20' | N03°38' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-26 | E179°24' | S01°30' | Sei whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-08-29 | E167°07' | N03°08' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-29 | E179°20' | S01°19' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-08-30 | E161°23' | N03°23' | Aquatic mammals nei | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-05 | E160°52' | S01°38' | Sei whale | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-14 | E177°41' | S01°26' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-09-15 | E179°13' | S02°11' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-16 | E179°36' | S03°16' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-16 | E178°47' | S02°44' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|---------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-09-16 | E178°36' | S04°29' | Whale shark | 2 | not deliberately encircled | stop operating | Alive |
| 2019-09-17 | E178°38' | S04°25' | Dolphins nei | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-09-17 | E179°44' | S03°16' | False killer whale | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-20 | E159°07' | S01°45' | Fin whale | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-20 | E178°09' | S02°02' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-21 | E158°26' | S01°58' | False killer whale | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-09-22 | E158°30' | S01°56' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-23 | E159°00' | S01°35' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-24 | E158°38' | S01°30' | Aquatic mammals nei | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-25 | E157°44' | S02°46' | Whale shark | 2 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-09-25 | E158°46' | S01°37' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-26 | E158°31' | S02°26' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-27 | E159°28' | S01°13' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-09-27 | E159°32' | S01°13' | Aquatic mammals nei | 2 | not deliberately encircled | stop operating | Alive |
| 2019-09-30 | E154°44' | N00°31' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-01 | E154°54' | S00°39' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-10-03 | E155°07' | N00°32' | Whale shark | 2 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-10-04 | E166°28' | S07°21' | False killer whale | 8 | not deliberately encircled | stop hauling | Alive |
| 2019-10-05 | E154°58' | N00°28' | Whale shark | 2 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-10-05 | E154°55' | S00°04' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-10-05 | E154°43' | N00°00' | Sei whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-10-06 | E170°17' | S01°43' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-10-07 | E170°55' | S01°48' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-10-11 | E178°57' | S03°50' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-14 | E179°49' | S04°10' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-15 | E174°32' | S03°06' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|-----------------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-10-16 | E153°23' | N01°46' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-18 | E174°25' | S02°33' | Bottlenose dolphin | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-10-20 | E153°23' | S01°24' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-21 | E173°39' | S04°43' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-22 | E173°21' | S02°12' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-23 | E177°04' | S04°07' | Aquatic mammals nei | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-10-27 | E178°39' | S03°20' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-27 | E161°32' | S03°03' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-10-29 | E178°03' | S04°33' | Aquatic mammals nei | 2 | not deliberately encircled | stop operating | Alive |
| 2019-10-30 | E166°35' | N01°38' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-02 | E175°37' | S03°37' | Dolphins nei | 5 | not deliberately encircled | stop operating | Alive |
| 2019-11-08 | E174°42' | S02°56' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-09 | E173°33' | S02°20' | Whale shark | 2 | not deliberately encircled | stop operating | Alive |
| 2019-11-11 | E175°02' | S03°22' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-12 | E175°03' | S03°19' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-15 | E173°20' | S03°42' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-16 | E173°50' | S03°34' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-11-18 | E174°51' | S03°46' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-11-20 | E166°55' | S02°27' | Pantropical spotted dolphin | 8 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-11-23 | E175°00' | S04°44' | False killer whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-11-26 | E174°00' | S05°13' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-11-30 | E166°28' | S02°29' | Long-beaked common dolphin | 6 | not deliberately encircled | stop operating | Alive |
| 2019-11-30 | E173°37' | S05°06' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-02 | E173°29' | S05°23' | Whale shark | 2 | not deliberately encircled | stop hauling | Alive |
| 2019-12-02 | E156°07' | S04°07' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|---------------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-12-03 | E174°08' | S05°08' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-09 | E157°17' | N01°03' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-10 | E155°57' | N01°00' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-11 | E152°18' | N03°15' | False killer whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-12-11 | E153°02' | N04°05' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-12 | E152°37' | S03°25' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-12 | E153°07' | N03°14' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-12 | E152°20' | N03°17' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-13 | E151°47' | S00°04' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-13 | E151°33' | S00°42' | Whale shark | 1 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-12-13 | E151°30' | S00°42' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-14 | E152°06' | S00°03' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-14 | E152°15' | N02°58' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-15 | E152°35' | N02°51' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-15 | E149°25' | S01°05' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-15 | E152°10' | N02°57' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-16 | E152°30' | S00°20' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-16 | E152°15' | S01°26' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-16 | E151°07' | N03°57' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-17 | E153°09' | S00°12' | Whale shark | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-17 | E151°12' | N04°07' | Aquatic mammals nei | 1 | not deliberately encircled | stop operating | Alive |
| 2019-12-19 | E154°16' | N00°35' | Dolphins nei | 8 | not deliberately encircled | stop hauling | 3Alive,5Dead |
| 2019-12-19 | E154°07' | N00°38' | Whale shark | 2 | not deliberately encircled | stop hauling and operating | Alive |
| 2019-12-20 | E151°50' | S00°25' | False killer whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-12-20 | E151°50' | S00°26' | False killer whale | 1 | not deliberately encircled | stop hauling | Alive |
| 2019-12-20 | E151°50' | S00°25' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |

| Date | Longitude | Latitude | Species | Number | Reason | Measure for ensure safe release | Status on release |
|------------|-----------|----------|-------------|--------|----------------------------|---------------------------------|-------------------|
| 2019-12-21 | E152°04' | S02°05' | Whale shark | 1 | not deliberately encircled | stop hauling | Alive |

Table 12. Effort, observed and estimated seabird captures of longline fishery in the area of south of 30°S during 2015-2019.

| Year | Fishing effort | | | | Observed seabird hooked | |
|-------|-------------------|-----------------|----------------|------------------|-------------------------|-------|
| | Number of vessels | Number of hooks | Observed hooks | % hooks observed | Number | Rate |
| 2015 | 27 | 3,965,911 | 419,452 | 10.6% | 4 | 0.010 |
| 2016 | 23 | 4,831,867 | 337,517 | 7.0% | 18 | 0.053 |
| 2017 | 30 | 5,619,981 | 111,998 | 2.0% | 1 | 0.009 |
| 2018 | 44 | 6,507,969 | 214,070 | 3.3% | 0 | 0.000 |
| 2019* | 41 | 9,577,026 | 538,817 | 5.6% | 7 | 0.013 |

* Preliminary

Table 13. Effort, observed and estimated seabird captures of longline fishery in the area of 25°S - 30°S during 2015-2019.

| Year | Fishing effort | | | | Observed seabird hooked | |
|-------|-------------------|-----------------|----------------|------------------|-------------------------|-------|
| | Number of vessels | Number of hooks | Observed hooks | % hooks observed | Number | Rate |
| 2015 | 33 | 4,700,071 | 81,008 | 1.7% | 0 | 0.000 |
| 2016 | 37 | 5,871,799 | 298,988 | 5.1% | 13 | 0.043 |
| 2017 | 53 | 9,608,376 | 539,831 | 5.6% | 0 | 0.000 |
| 2018 | 61 | 11,982,174 | 370,794 | 3.1% | 5 | 0.013 |
| 2019* | 45 | 6,636,576 | 464,947 | 7.0% | 11 | 0.024 |

* Preliminary

Table 14. Effort, observed and estimated seabird captures of longline fishery in the area of north of 23°N during 2015-2019.

| Year | Fishing effort | | | | Observed seabird hooked | |
|-------|-------------------|-----------------|----------------|------------------|-------------------------|-------|
| | Number of vessels | Number of hooks | Observed hooks | % hooks observed | Number | Rate |
| 2015 | 470 | 35,582,655 | 208,703 | 0.6% | 0 | 0.000 |
| 2016 | 470 | 38,839,250 | 322,373 | 0.8% | 5 | 0.016 |
| 2017 | 493 | 21,305,415 | 795,342 | 3.7% | 2 | 0.003 |
| 2018 | 521 | 26,173,362 | 1,429,663 | 5.5% | 3 | 0.002 |
| 2019* | 603 | 31,792,234 | 685,134 | 2.2% | 2 | 0.003 |

* Preliminary

Table 15. Effort, observed and estimated seabird captures of longline fishery in the area of 23°N - 25°S during 2015-2019.

| Year | Fishing effort | | | | Observed seabird hooked | |
|-------|-------------------|-----------------|----------------|------------------|-------------------------|-------|
| | Number of vessels | Number of hooks | Observed hooks | % hooks observed | Number | Rate |
| 2015 | 787 | 154,231,435 | 3,427,451 | 2.2% | 2 | 0.001 |
| 2016 | 825 | 171,523,502 | 2,811,133 | 1.6% | 1 | 0.000 |
| 2017 | 844 | 168,219,294 | 7,603,286 | 4.5% | 2 | 0.000 |
| 2018 | 809 | 136,875,068 | 7,674,474 | 5.6% | 3 | 0.000 |
| 2019* | 755 | 133,657,853 | 4,836,525 | 3.6% | 1 | 0.000 |

* Preliminary

Table 16. Proportion of mitigation types used by longline fishery in 2015.

| | Combination of Mitigation Measures* | Proportion of observed effort using mitigation measures | | | |
|-----------------------------------------------------------|-------------------------------------|---------------------------------------------------------|-------------|-------------|---------------|
| | | South of 30°S | 25°S - 30°S | 25°S - 23°N | North of 23°N |
| | No mitigation measures | 0.0% | 0.0% | 5.9% | 3.3% |
| Options required south of 25°S | TL + NS | 18.9% | 14.4% | 0.0% | 23.7% |
| | TL + WB | 8.2% | 6.2% | 0.0% | 0.9% |
| | NS + WB | 8.2% | 6.2% | 11.0% | 0.9% |
| | TL + WB + NS | 8.2% | 6.2% | 0.0% | 0.9% |
| | HS | | | | |
| Other options 25°S-30°S | WB | 8.2% | 6.2% | 12.7% | 0.9% |
| | TL | 18.9% | 15.5% | 0.0% | 26.6% |
| Other options north of 23°N | SS/BC/WB/DSL | | | | |
| | SS/BC/WB/(MOD or BDB) | | | | |
| Provide any other combination of mitigation measures here | TL+TL | 10.7% | 9.3% | 0.0% | 16.2% |
| | NS | 18.9% | 36.1% | 70.4% | 26.6% |
| | | | | | |
| | Totals | 100.0% | 100.0% | 100.0% | 100.0% |

*TL = tori line, NS = night setting, WB = weighted branch lines, SS = side setting, BC = bird curtain, BDB = blue dyed bait, DSLS = deep setting line shooter, MOD = management of offal discharge, HS = hook-shielding device.

Table 17. Proportion of mitigation types used by longline fishery in 2016.

| | Combination of Mitigation Measures* | Proportion of observed effort using mitigation measures | | | |
|-----------------------------------------------------------|-------------------------------------|---------------------------------------------------------|-------------|-------------|---------------|
| | | South of 30°S | 25°S - 30°S | 25°S - 23°N | North of 23°N |
| | No mitigation measures | 0.0% | 1.2% | 10.8% | 0.0% |
| Options required south of 25°S | TL + NS | 28.4% | 13.2% | 0.1% | 23.3% |
| | TL + WB | 0.0% | 0.0% | 0.0% | 5.7% |
| | NS + WB | 4.1% | 17.4% | 7.3% | 5.9% |
| | TL + WB + NS | 0.0% | 0.0% | 0.0% | 5.5% |
| | HS | | | | |
| Other options 25°S-30°S | WB | 4.1% | 17.4% | 8.6% | 6.1% |
| | TL | 30.8% | 14.4% | 0.1% | 24.2% |
| Other options north of 230N | SS/BC/WB/DSLS | | | | |
| | SS/BC/WB/(MOD or BDB) | | | | |
| Provide any other combination of mitigation measures here | TL+TL | 0.0% | 0.0% | 0.0% | 5.7% |
| | NS | 32.5% | 36.3% | 73.2% | 23.7% |
| | | | | | |
| | Totals | 100.0% | 100.0% | 100.0% | 100.0% |

*TL = tori line, NS = night setting, WB = weighted branch lines, SS = side setting, BC = bird curtain, BDB = blue dyed bait, DSLS = deep setting line shooter, MOD = management of offal discharge, HS = hook-shielding device.

Table 18. Proportion of mitigation types used by longline fishery in 2017.

| | Combination of Mitigation Measures* | Proportion of observed effort using mitigation measures | | | |
|-----------------------------------------------------------|-------------------------------------|---------------------------------------------------------|-------------|-------------|---------------|
| | | South of 30°S | 25°S - 30°S | 25°S - 23°N | North of 23°N |
| | No mitigation measures | 0.0% | 2.5% | 9.3% | 8.2% |
| Options required south of 25°S | TL + NS | 20.9% | 20.6% | 1.2% | 17.6% |
| | TL + WB | 5.5% | 0.5% | 0.0% | 4.3% |
| | NS + WB | 4.7% | 0.5% | 8.4% | 4.3% |
| | TL + WB + NS | 4.7% | 0.5% | 0.0% | 4.3% |
| | HS | | | | |
| Other options 25°S-30°S | WB | 5.5% | 0.5% | 10.5% | 4.3% |
| | TL | 22.0% | 23.5% | 1.8% | 24.4% |
| Other options north of 230N | SS/BC/WB/DSLS | | | | |
| | SS/BC/WB/(MOD or BDB) | | | | |
| Provide any other combination of mitigation measures here | TL+TL | 15.7% | 11.6% | 0.3% | 7.9% |
| | NS | 20.9% | 39.9% | 68.4% | 24.7% |
| | | | | | |
| | Totals | 100.0% | 100.0% | 100.0% | 100.0% |

*TL = tori line, NS = night setting, WB = weighted branch lines, SS = side setting, BC = bird curtain, BDB = blue dyed bait, DSLS = deep setting line shooter, MOD = management of offal discharge, HS = hook-shielding device.

Table 19. Proportion of mitigation types used by longline fishery in 2018.

| | Combination of Mitigation Measures* | Proportion of observed effort using mitigation measures | | | |
|-----------------------------------------------------------|-------------------------------------|---------------------------------------------------------|-------------|-------------|---------------|
| | | South of 30°S | 25°S - 30°S | 25°S - 23°N | North of 23°N |
| | No mitigation measures | 0.0% | 0.0% | 0.0% | 0.0% |
| Options required south of 25°S | TL + NS | 0.0% | 0.0% | 0.0% | 0.0% |
| | TL + WB | 10.5% | 1.1% | 0.0% | 0.9% |
| | NS + WB | 0.0% | 81.5% | 69.5% | 29.3% |
| | TL + WB + NS | 83.1% | 2.5% | 0.0% | 57.4% |
| | HS | | | | |
| Other options 25°S-30°S | WB | 0.0% | 14.9% | 30.5% | 1.5% |
| | TL | 0.0% | 0.0% | 0.0% | 0.0% |
| Other options north of 23°N | SS/BC/WB/DSLS | | | | |
| | SS/BC/WB/(MOD or BDB) | | | | |
| Provide any other combination of mitigation measures here | TL+TL | 6.5% | 0.0% | 0.0% | 10.9% |
| | NS | 0.0% | 0.0% | 0.0% | 0.0% |
| | | | | | |
| | Totals | 100.0% | 100.0% | 100.0% | 100.0% |

*TL = tori line, NS = night setting, WB = weighted branch lines, SS = side setting, BC = bird curtain, BDB = blue dyed bait, DSLS = deep setting line shooter, MOD = management of offal discharge, HS = hook-shielding device.

Table 20. Proportion of mitigation types used by longline fishery in 2019.

| | Combination of Mitigation Measures* | Proportion of observed effort using mitigation measures | | | |
|-----------------------------------------------------------|-------------------------------------|---------------------------------------------------------|-------------|-------------|---------------|
| | | South of 30°S | 25°S - 30°S | 25°S - 23°N | North of 23°N |
| | No mitigation measures | 0.0% | 0.0% | 0.0% | 0.0% |
| Options required south of 25°S | TL + NS | 0.0% | 0.0% | 0.0% | 0.0% |
| | TL + WB | 7.3% | 2.7% | 1.0% | 1.8% |
| | NS + WB | 0.3% | 25.6% | 71.0% | 42.2% |
| | TL + WB + NS | 62.4% | 35.8% | 1.6% | 43.5% |
| | HS | | | | |
| Other options 25°S-30°S | WB | 0.0% | 0.0% | 8.9% | 26.4% |
| | TL | 0.0% | 0.0% | 0.0% | 0.0% |
| Other options north of 23°N | SS/BC/WB/DSL | | | | |
| | SS/BC/WB/(MOD or BDB) | | | | |
| Provide any other combination of mitigation measures here | TL+TL | 30.1% | 27.0% | 0.0% | 7.3% |
| | NS | 0.0% | 0.0% | 0.0% | 0.0% |
| | | | | | |
| | Totals | 100.0% | 100.0% | 100.0% | 100.0% |

*TL = tori line, NS = night setting, WB = weighted branch lines, SS = side setting, BC = bird curtain, BDB = blue dyed bait, DSLS = deep setting line shooter, MOD = management of offal discharge, HS = hook-shielding device.

Table 21. Number of observed seabird captures of tuna longline fishery by species and by area during 2015-2019.

| Year | Species | South of 30°S | 25°S - 30°S | North of 23°N | 23°N - 25°S | Total |
|-------|------------------------------|---------------|-------------|---------------|-------------|-------|
| 2015 | Buller's albatross | 1 | 0 | 0 | 0 | 1 |
| | Christmas island frigatebrid | 0 | 0 | 0 | 1 | 1 |
| | Shy albatross | 2 | 0 | 0 | 0 | 2 |
| | Sooty shearwater | 0 | 0 | 0 | 1 | 1 |
| | Wandering albatross | 1 | 0 | 0 | 0 | 1 |
| | Total | 4 | 0 | 0 | 2 | 6 |
| 2016 | Antipodean albatross | 3 | 1 | 0 | 0 | 4 |
| | Black-browed albatross | 1 | 1 | 0 | 0 | 2 |
| | Black-footed albatross | 0 | 0 | 1 | 0 | 1 |
| | Campbell albatross | 6 | 2 | 0 | 0 | 8 |
| | Great frigatebird | 0 | 0 | 0 | 1 | 1 |
| | Grey headed albatross | 1 | 1 | 0 | 0 | 2 |
| | Grey petrel | 1 | 1 | 0 | 0 | 2 |
| | Laysan albatross | 0 | 0 | 4 | 0 | 4 |
| | Light-mantled albatross | 1 | 0 | 0 | 0 | 1 |
| | Wandering albatross | 3 | 0 | 0 | 0 | 3 |
| | Westland petrel | 0 | 1 | 0 | 0 | 1 |
| | White-chinned petrel | 2 | 6 | 0 | 0 | 8 |
| | Total | 18 | 13 | 5 | 1 | 37 |
| 2017 | Black-footed albatross | 0 | 0 | 0 | 2 | 2 |
| | Campbell albatross | 1 | 0 | 0 | 0 | 1 |
| | Laysan albatross | 0 | 0 | 2 | 0 | 2 |
| | Total | 1 | 0 | 2 | 2 | 5 |
| 2018 | Laysan albatross | 0 | 0 | 3 | 3 | 6 |
| | Salvin's albatross | 0 | 5 | 0 | 0 | 5 |
| | Black-footed Albatross | 0 | 0 | 2 | 1 | 3 |
| | Total | 0 | 5 | 5 | 4 | 14 |
| 2019* | Antipodean Albatross | 0 | 2 | 0 | 0 | 2 |
| | Black-Browed Albatross | 1 | 1 | 0 | 0 | 2 |
| | Black-footed Albatross | 0 | 0 | 1 | 0 | 1 |
| | Buller' S Albatross | 0 | 3 | 0 | 0 | 3 |
| | Campbell Albatross | 1 | 1 | 0 | 0 | 2 |
| | Grey Headed Albatross | 1 | 0 | 0 | 0 | 1 |
| | Laysan Albatross | 0 | 0 | 1 | 0 | 1 |
| | Parasitic Jaeger | 0 | 1 | 0 | 0 | 1 |

| Year | Species | South of 30°S | 25°S - 30°S | North of 23°N | 23°N - 25°S | Total |
|-------------|-------------------------|--------------------------|--------------------|--------------------------|--------------------|--------------|
| | Shy Albatross | 1 | 0 | 0 | 0 | 1 |
| | Wandering Albatross | 3 | 1 | 0 | 0 | 4 |
| | Wedge-Tailed Shearwater | 0 | 1 | 0 | 0 | 1 |
| | Westland Petrel | 0 | 0 | 0 | 1 | 1 |
| | White-chinned Petrel | 0 | 1 | 0 | 0 | 1 |
| | Total | 7 | 11 | 2 | 1 | 21 |

* Preliminary




Figure 1. The catch composition distributions of tuna and tuna-like species of STLL fishery during 2015-2019. The figures of 2018 and 2019 are still in preliminary.




Figure 2. The catch composition of major tuna and tuna-like species for LTLT fishery in the WCPFC Convention area during 2015-2019.




Figure 3. The catch composition of major tuna species for DWPS fishery in the WCPFC Convention area during 2015-2019.






Figure 4. The catch composition distributions of DWPS fleet during 2015-2019.


2015




2016



2017



2018



2019






Figure 5. The catch composition distributions of tuna and tuna-like species of STLL fishery during 2015-2019. The figures of 2018 and 2019 are still in preliminary.


2015




2016



2017



2018



2019






Figure 6. The fishing effort distributions of LTLL fishery during 2015-2019. The figures of 2018 and 2019 are still in preliminary.


2015




2016



2017



2018



2019






Figure 7. The fishing effort distributions of DWPS fleet during 2015-2019.


2015




2016



2017



2018



2019




Figure 8. The fishing effort distributions of STLL fishery during 2015-2019. The figures of 2018 and 2019 are still in preliminary

